This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

Catalyst 5 - Transit Not Included (K0005)

# **CATALYST** 5

| Company:                              |       |        | Ship To:   |        |        |                     |
|---------------------------------------|-------|--------|------------|--------|--------|---------------------|
| Account Number:                       | Date: |        | Address:   |        |        |                     |
| Quote: PO Number:                     |       |        | City:      |        | State: |                     |
| ATP:                                  |       |        | Zip:       | Phone: |        |                     |
| Marked For:                           |       |        | Email/Fax: |        |        |                     |
| Associated Quote/Order#:              |       |        |            |        |        | Effective: 4/1/2024 |
| Catalyst 5 - Transit Included (K0005) |       | \$2611 |            |        |        |                     |

\$2352

#### Frame

#### Seat Width

300 lb weight capacity

| N/C                     |
|-------------------------|
| N/C                     |
| \$554<br>\$554<br>\$554 |
| \$554                   |
| \$554                   |
|                         |

#### Seat Depth

| 14"         | N/C   |
|-------------|-------|
| 15"         | N/C   |
| 16"         | N/C   |
| 17"         | N/C   |
| 18"         | N/C   |
| 19"         | \$77  |
| 20" (E2203) | \$610 |

#### **Transit Option**

| Transit System (Weight Limit 300lbs)                            | \$350 |
|---|-------|
| Not available with Removable Seat Pan or 350 lb Weight Capacity |       |
| Omit  | N/C   |

#### Wheelchair Drive Ready

Chair will ship from Ki Mobility with adaption kit installed for selected Alber system. Order system separately from Alber USA. Select Rear Seat Height (full profile selections only) in drive wheel size on Rear Seat Height chart (page 5). Requires Rear Anti-Tips. Not available with Spinergy wheels or Height Adjustable Flip Back T-Arm.

| e-motion Ready | N/C |
|----------------|-----|
| twion Ready    | N/C |

#### **Titanium Option**

| Titanium Frame  | \$1972 |
|---|--------|
| Includes hangers and base frame. Does not include Cross Braces. |        |

#### Weight Capacity

| 300 lbs   | N/C   |
|---|-------|
| 350 lbs (Heavy Duty)<br>Requires minimum 6" caster height | \$564 |
| Cross Brace   |       |
| Standard Cross Braces                                     | N/C   |

#### Standard Cross Braces Seating System Cross Braces

| Allows for easy attachment of seating available with Seat Sling. | system mounting hardware. Not |   |
|--|-------------------------------|---|
| Titanium Cross Braces  | \$72                          | 5 |
| Not available with 21" and 22" Seat V                            | Vidths                        |   |

#### Seat Pan

| Scattan  |        |
|--|--------|
| Removable Aluminum Seat Pan E2231<br>1/2" Shorter than Depth   | \$300  |
| Rear Frame Type  |        |
| No selection needed with Titanium Frame  |        |
| Standard (Curved)  | N/C    |
| Select from Standard or Angle Adjustable Back Post on chart on the next page   |        |
| Depth Adjustable (K0108)   | \$215  |
| Select from depth adjustable back posts in chart on next page. Provides 2"<br>forward and 2" rearward adjustment with minimum Seat Depth of 14" and<br>maximum Seat Depth of 22". Available only with T-Arm or Flip Up Armrests. |        |
| Reclining Frame  | \$1179 |
| Select from Reclining Back Post in chart on the next page. Not available with<br>Dynamic Back, O2 Holder, Transit Option, 350 lb Weight Capacity, Swing  |        |

Away Armrests, Flip Back Armrest, Height Adjustable Flip Back T-Arm, Back Upholstery or IV Pole.

HCPCS Codes provided are based on code verification by the PDAC or our interpretation of the code definitions.

Proper use of HCPCS Codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

DCN0011.39 Pricing and specifications subject to change without notice.

N/C





### Backrest

| Depth Adjustable not available with Titanium Frame                |       |                      |                    |                  |       |                  |                  |
|---|-------|----------------------|--------------------|------------------|-------|------------------|------------------|
| Back Post   | Price | Height Range         | Back Height        |                  |       |                  |                  |
|   |       | Short <sup>3,4</sup> | 8.5"               | 9.5"             | 10.5" | 11.5"            |                  |
| Standard  | N/C   | Medium <sup>4</sup>  | 12.5" <sup>6</sup> | 13.5"            | 14.5" | 15.5"            |                  |
|   |       | Tall                 | 16.5"              | 17.5"            | 18.5" | 19.5"            |                  |
|   |       | Short <sup>4</sup>   | 14"                | 15"              | 16"   |                  | •                |
| Angle Adjustable w/ Push Handle                                   | \$200 | Medium <sup>4</sup>  | 16"                | 17"              | 18"   |                  |                  |
|   |       | Tall                 | 18"                | 19"              | 20"   |                  |                  |
|   | N/C   | Short                | 20"                |                  |       |                  |                  |
| Stroller Handle Back Post (Depth Adjustable)                      |       | Tall                 | 24"                |                  |       |                  |                  |
| Height Adjustable Straight with Push Handle (Depth<br>Adjustable) |       | Short <sup>1</sup>   | 13"                | 14"              | 15"   | 16"              | 17"              |
|   | \$97  | Medium               | 16"                | 17"              | 18"   | 19"              | 20"              |
|   |       | Tall                 | 20" <sup>8</sup>   | 21" <sup>5</sup> | 22" 5 | 23" <sup>5</sup> | 24" <sup>5</sup> |
| Reclining w/ Adjustable Handle (E1225) <sup>1,7</sup>             | NVC   | Short                | 22"                |                  |       |                  |                  |
| Reclining w/ Adjustable Handle (E1225)                            | N/C   | Tall                 | 26"                |                  |       |                  |                  |

1 Not available with Dynamic Back

2 Not available with Standard Back Upholstery

3 Not available with Tension Adjustable Back Upholstery

4 Not available with Standard Back Upholstery in combination with 21" and 22" Seat Widths

5 Not available with Tension Adjustable Back Upholstery in combination with 14" and 15" Seat Widths

6 Not available with Tension Adjustable Back Upholstery in combination with 22" Seat Width

7 Not available with O2 Holder, Transit Option, 350 lb Weight Capacity, Swing Away Armrests, Flip Back Armrest, Height Adjustable Flip Back T-Arm or IV Pole

8 Not available with Angle Adjustable Locking Extendable Flip Up Armrest

9 Not available with Tension Adjustable Back Upholstery in combination with Angle Adjustable Locking Extendable Flip Up Armrests

| <b>Reclining B</b> | ack Options |
|--------------------|-------------|
|                    |             |

| Select options below if Reclining Back is selected on chart above. Recline angle range is O | ° - 65°. |
|---|----------|
| Standard Spring   | N/C      |
| Heavy Duty Spring   | N/C      |

#### **Standard Back Post**

| Select option below only if a Standard Back Post o  | ntion is selected on chart above |
|---|----------------------------------|
| Sciect option below only if a Standard Back 1 ost o | phon is sciected on chart above  |

| Straight with Push Handle                  | N/C   |
|--|-------|
| Straight without Push Handle               | N/C   |
| 8 Degree Bend with Push Handle             | \$35  |
| Not available with Short Back Height Range |       |
| Straight with Fold Down Push Handle        | \$128 |
| Not available with 350 lb Weight Capacity  |       |

#### **Push Handle Options**

Not available with Stroller Handle Back Post, Straight Back Post with Fold Down Push Handle, Reclining Back Post or 350 lb Weight Capacity Low Profile Push Handle \$92

| Low Profile Push Handle               |  |
|---------------------------------------|--|
| 2" shorter than standard push handles |  |

| Options below may be selected only if a Depth Adjustable back post option is selected on the |  |
|--|--|
| chart above  |  |

| Stroller Handle Extensions   | \$97   |
|--|--------|
| Not available with Height Adjustable Straight with Push Handle Back Post |        |
| Dynamic Back (E2398)   | \$1395 |
| Available only with T-Arms.  |        |

#### **Back Upholstery Options**

Not available with Reclining or Stroller Handle Back Post. If selecting both upholstery and Axiom Back, the upholstery will be installed.

| Standard  | N/C    |
|---|--------|
| Tension Adjustable with Standard Cover (E2611)            | \$345  |
| Tension Adjustable with Air Mesh Breathable Cover (E2611) | \$405  |
| Omit  | (\$15) |

#### **Military Service Patches**

| Attacl | hed on | ly if order | ed with Tension | n Adjustable Ba | ck Upholstery   |             |               |
|--------|--------|-------------|-----------------|-----------------|-----------------|-------------|---------------|
| Ar     | my     | Navy        | Marines         | Air Force       | Coast Guard     | US Purple I | Heart<br>\$92 |
| С      | ombo   | Army/P      | urple Heart     | Combo N         | avy/Purple Hear | t           |               |
| С      | ombo   | Marines     | /Purple Hea     | art Combo       | Air Force/Purpl | e Heart     |               |
| С      | ombo   | Coast G     | iuard/Purple    | e Heart         |                 |             | \$149         |

### Frame Type / Footrest

Gel Pad Covers (Pair) K0108

| Frame Type             |     |
|------------------------|-----|
| Swing Away             | N/C |
| Super Low - Swing Away | N/C |
| 70° Fixed Front        | N/C |
| 80° Fixed Front        | N/C |
|                        |     |
| PRO ELR Covers         |     |

| Frame | Hanger                        | 60° | 70° | 80° | 90° | Reta  |
|-------|-------------------------------|-----|-----|-----|-----|-------|
|       | Extension Tube Mount          | 2   |     | 1   |     | N/C   |
| Swing | Front Mount <sup>2</sup>      |     |     | 1   | 1   | N/C   |
| Away  | Pro Elevating Leg Rests E0990 |     |     |     |     | \$318 |
|       | Omit Hangers                  |     |     |     |     | (\$20 |
| Fixed | Extension Tube Mount          |     |     | 1   |     | N/C   |

2 Not available with Titanium Frame

\$436

DCN0011.39 Pricing and specifications subject to change without notice.



# $\mathbf{CATALYST}\, \mathcal{5}$

#### Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hangers and Fixed Front Frame measurements are based on 70° Hanger / Front Frame Bend.

| Footrest                                | Extension  |                 | Seat to Footrest Length |       |       |             |       |       |       |       |                       |       |       |  |  |
|---|--|-----------------|-------------------------|-------|-------|-------------|-------|-------|-------|-------|-----------------------|-------|-------|--|--|
|   | Short (11" - 15")                                | 11"             | 11.5"                   | 12"   | 12.5" | 13"         | 13.5" | 14"   | 14.5" | 15"   |                       |       |       |  |  |
| Extension Tube<br>Hangers (60°,70°,80°) | Medium (13" - 17")                               | 13"             | 13.5"                   | 14"   | 14.5" | 15"         | 15.5" | 16"   | 16.5" | 17"   |                       |       |       |  |  |
|   | Long (15.5" - 19.5")                             | 15.5"           | 16"                     | 16.5" | 17"   | 17.5"       | 18"   | 18.5" | 19"   | 19.5" | -                     |       |       |  |  |
|   |  |                 |                         |       | Stan  | dard Select | ions  |       |       |       | Requires 3" Extension |       |       |  |  |
|   | Shark Frank Marink Hannan                        | 4" <sup>2</sup> | 4.5" <sup>2</sup>       | 5"    | 5.5"  | 6"          | 6.5"  |       |       |       | 10"                   | 10.5" | 11"   |  |  |
|   | Short Front Mount Hanger                         | 7"              | 7.5"                    | 8"    | 8.5"  | 9"          | 9.5"  |       |       |       | 11.5"                 | 12"   | 12.5" |  |  |
| Front Mount Hangers 1                   | Medium Front Mount Hanger                        | 4" <sup>2</sup> | 4.5" <sup>2</sup>       | 5"    | 5.5"  | 6"          | 6.5"  | 7"    | 7.5"  |       | 12"                   | 12.5" | 13"   |  |  |
|   | Medium Front Mount Hanger                        | 8"              | 8.5"                    | 9"    | 9.5"  | 10"         | 10.5" | 11"   | 11.5" |       | 13.5"                 | 14"   | 14.5" |  |  |
|   | Long Front Mount Hanger                          | 5"              | 5.5"                    | 6"    | 6.5"  | 7"          | 7.5"  | 8"    | 8.5"  | 9"    | 14"                   | 14.5" | 15"   |  |  |
|   |  | 9.5"            | 10"                     | 10.5" | 11"   | 11.5"       | 12"   | 12.5" | 13"   | 13.5" | 15.5"                 | 16"   | 16.5" |  |  |
| PRO ELR Low Pivot                       | PRO ELR Low Pivot Setting Short (12" - 17.5")    | 12 -            | 17.5                    |       |       |             |       |       |       |       |                       |       |       |  |  |
| Setting                                 | PRO ELR Low Pivot Setting Long (15" - 21")       | 15              | 21                      |       |       |             |       |       |       |       |                       |       |       |  |  |
| PRO ELR High Pivot                      | PRO ELR High Pivot Setting Short (10.5" - 15.5") | 10.5 -          | 15.5                    |       |       |             |       |       |       |       |                       |       |       |  |  |
| Setting                                 | PRO ELR High Pivot Setting Long (13" - 19")      | 13-19           |                         |       |       |             |       |       |       |       |                       |       |       |  |  |
|   | Short (11" - 15")                                | 11.5"           | 12"                     | 12.5" | 13"   | 13.5"       | 14"   | 14.5" | 15"   |       |                       |       |       |  |  |
| Fixed Front Frame<br>(70°,80°)          | Medium (13" - 17")                               | 13"             | 13.5"                   | 14"   | 14.5" | 15"         | 15.5" | 16"   | 16.5" | 17"   |                       |       |       |  |  |
|   | Long (15.5" - 19.5")                             | 15.5"           | 16"                     | 16.5" | 17"   | 17.5"       | 18"   | 18.5" | 19"   | 19.5" |                       |       |       |  |  |

1 Not available with Titanium Frame. See Minimum Front Seat Height chart below 2 Available with 90° only

| Minimum Front Seat Height with Front Mount Hangers |       |        |        |        |       |     |  |  |  |
|--|-------|--------|--------|--------|-------|-----|--|--|--|
| Hanger Length                                      | Short |        | Medium | ı      | Long  |     |  |  |  |
| Hanger Bend  | 70°   | 80/90° | 70°    | 80/90° | 70°   | 80° |  |  |  |
| Minimum Front Seat Height with Standard Selection  | 13.5" | 13.5"  | 14"    | 15"    | 16"   | 17" |  |  |  |
| Minimum Front Seat Height with 3" Extension        | 14.5" | 16"    | 16.5"  | 18"    | 18.5" | 20" |  |  |  |

### **3" Extension**

| 3" Extension                     | \$36 |
|----------------------------------|------|
| 3" Extension (Provided as Parts) | \$36 |

#### **Heel Loops**

| Not available with One Piece Flip Up Angle Adjustable Footplate |      |
|---|------|
| Heel Loops (E0951)  | \$42 |
| Adjustable Heel Loops (E0951)                                   | \$51 |
| Omit Heel Loops   | N/C  |

| Footplates  |       |
|---|-------|
| Composite<br>Not available with Front Mount Hanger  | N/C   |
| Composite Angle Adjustable (K0040)<br>Not available with Front Mount Hanger or 14" Seat Width       | \$200 |
| Aluminum Angle Adjustable (K0040)   | \$205 |
| Aluminum Locking Multi-Angle Adjustable Footplate (K0108)<br>Available only with Front Mount Hanger | \$323 |
| One Piece Flip Up Angle Adjustable (K0040)<br>Not available with Front Mount Hanger or PRO ELR      | \$200 |

#### **Hanger Release**

#### If no selection is made Classic Hanger Release will be used

| Classic         | N/C |
|-----------------|-----|
| 4-Way - In-Line | N/C |
| 4-Way - Out     | N/C |

#### **Calf Straps**

| Velcro Adjustable (K0038)         | \$41  |
|-----------------------------------|-------|
| Padded Velcro Adjustable (K0038)  | \$72  |
| Bodypoint Padded AeroMesh (K0038) | \$133 |

### **Residual Limb Support**

| _     |                               | -     |                      |                       |                         |                       |                        |                        |                        |                         |                         |
|-------|-------------------------------|-------|----------------------|-----------------------|-------------------------|-----------------------|------------------------|------------------------|------------------------|-------------------------|-------------------------|
|       | Limb Support                  | Price | Omit                 | Co                    | ver                     |                       |                        | Pad                    | Size                   |                         |                         |
| Left  | Left Limb Support<br>(E1020)  | \$431 | Omit Left<br>Hanger  | Smooth<br>Cover Left  | Air Mesh<br>Cover Left  | 5x8 Pad Left<br>Side  | 7x10 Pad Left<br>Side  | 9x10 Pad Left<br>Side  | 9x14 Pad Left<br>Side  | 11x10 Pad<br>Left Side  | 11x14 Pad<br>Left Side  |
| Right | Right Limb Support<br>(E1020) | \$431 | Omit Right<br>Hanger | Smooth<br>Cover Right | Air Mesh<br>Cover Right | 5x8 Pad Right<br>Side | 7x10 Pad<br>Right Side | 9x10 Pad<br>Right Side | 9x14 Pad<br>Right Side | 11x10 Pad<br>Right Side | 11x14 Pad<br>Right Side |



# **CATALYST** 5

# **Front Seat Height and Casters**

#### Caster Size / Front Frame Type / Front Seat Height

#### Select Front Seat Height in row corresponding to desired caster size.

Note: Selections in first three Front Seat Height columns use Super Low Front Frame. Super Low Front Frame not available with Titanium Frame or Fixed Front Frame.

| Caster                          |       |       |       |     |       |     | Front Sea | at Height |       |     |       |     |       |     |
|---------------------------------|-------|-------|-------|-----|-------|-----|-----------|-----------|-------|-----|-------|-----|-------|-----|
| Size Uses Super Low Front Frame |       |       |       |     |       |     |           |           |       |     |       |     |       |     |
| 4"                              | 13.5" | 14"   | 14.5" | 15" | 15.5" | 16" | 16.5"     | 17"       | 17.5" | 18" | 18.5" | 19" | 19.5" | 20" |
| 5"                              | 14.5" | 15"   | 15.5" | 16" | 16.5" | 17" | 17.5"     | 18"       | 18.5" | 19" | 19.5" | 20" | 20.5" |     |
| 6"                              | 15.5" | 16"   | 16.5" | 17" | 17.5" | 18" | 18.5"     | 19"       | 19.5" | 20" | 20.5" | 21" |       |     |
| 7"                              | 17"   | 17.5" |       | 18" | 18.5" | 19" | 19.5"     | 20"       | 20.5" | 21" |       |     |       |     |
| 8"                              | 17.5" | 18"   | 18.5" | 19" | 19.5" | 20" | 20.5"     | 21"       |       |     |       |     |       |     |

\$487

|             |                            | Caster Size |    |    |    |    |    |  |  |
|-------------|----------------------------|-------------|----|----|----|----|----|--|--|
|             |                            | Price       | 4" | 5" | 6" | 7" | 8" |  |  |
|             | .75" Rollerblade           | N/C         |    |    |    |    |    |  |  |
|             | .75" Lighted Rollerblade   | \$77        |    |    |    |    |    |  |  |
|             | 1" Poly                    | N/C         |    |    |    |    |    |  |  |
| ype         | 1" Poly Aluminum           | \$118       |    |    |    |    |    |  |  |
| Caster Type | 1" Pneumatic               | \$92        |    |    |    |    |    |  |  |
| Cast        | 1.5" Poly                  | \$60        |    |    |    |    |    |  |  |
|             | 1.5" Soft Roll Aluminum    | \$212       |    |    |    |    |    |  |  |
|             | 2" Poly                    | \$97        |    |    |    |    |    |  |  |
|             | 2" Pneumatic w/Foam Insert | \$246       |    |    |    |    |    |  |  |

#### **Fork Options**

| Best Fit  | N/C   |
|---|-------|
| Ki Mobility will pick Fork and Stem combination to optimize performance<br>based on Caster Size and Front Seat Height |       |
| Standard Fork Stem  | N/C   |
| 3/4" Longer Fork Stem   | N/C   |
| 1 1/2" Longer Fork Stem   | N/C   |
| Frog Legs Suspension Fork   | \$487 |
| Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin  |       |
| Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic w/ Foam In  | isert |
| caster.   |       |

Frog Legs II Suspension System

Lightweight shock absorbing fork. Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic w/ Foam Insert caster.

| Maximum Seat Dump Reference<br>(Front Seat Height minus Rear Seat Height) |      |    |    |      |      |      |      |
|---|------|----|----|------|------|------|------|
| Seat Depth     14"     15"     16"     17"     18"     19"     20"        |      |    |    |      |      |      |      |
| Maximum Dump<br>Standard Caster Housing                                   | 1.5" | 2" | 2" | 2"   | 2.5" | 2.5" | 2.5" |
| Maximum Dump<br>Performance Caster Housing                                | 3"   | 3" | 3" | 3.5" | 3.5" | 4"   | 4"   |

Depending on configuration, chairs with Fixed Front Frame Type may achieve up to an additional .75"

#### **Caster Housing**

| Standard Housing                          | N/C  |
|---|------|
| Performance Housing                       | \$51 |
| Not available with 350 lb Weight Capacity |      |

#### **Frog Legs Options**

| User Weight Under 80 lbs | N/C |
|--------------------------|-----|
| User Weight 80-120 lbs   | N/C |
| User Weight 120-160 lbs  | N/C |
| User Weight 160-220 lbs  | N/C |
| User Weight 220-260 lbs  | N/C |
| User Weight 260-300 lbs  | N/C |

#### Caster Pin Locks (K0073)

Not available with Performance Caster Housing, 1 1/2" Longer Fork Stem or Frog Legs Fork \$210

Ki\_Mobility 717 by Etac

Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

# **CATALYST** 5

# Wheel Locks

| Wheel Lock  |       |
|---|-------|
| Push to Lock  | N/C   |
| Push to Lock Flush Mount  | N/C   |
| Pull to Lock  | N/C   |
| Low Profile Scissor Lock  | \$72  |
| Not available with Low Poly, Full Poly or Sentinel Solid tires  |       |
| Drum Brake (E2228)  | \$595 |
| Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with<br>Reclining Backrest, Straight without Push Handle or Straight with Fold Down<br>Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release. |       |
| Dual - Drum Brake with Push to Lock (E2228)   | \$702 |
| Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with<br>Reclining Backrest, Straight without Push Handle or Straight with Fold Down<br>Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release. |       |
| Dual - Drum Brake with Pull to Lock (E2228)   | \$702 |
| Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with<br>Reclining Backrest, Straight without Push Handle or Straight with Fold Down<br>Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release. |       |
| Hemi Wheel Lock - Left (K0108)  | \$359 |
| Extension Handle included   |       |
| Hemi Wheel Lock - Right (K0108)   | \$359 |
| Extension Handle included   |       |
| Omit  | N/C   |

#### Wheel Lock Options

| Extension Handles (E0961)<br>Available only with Push to Lock or Pull to Lock Wheel Locks         | \$81  |
|---|-------|
| Grade Aids (E0974)  | \$159 |
| Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires |       |

# **Rear Seat Height and Wheels**

| Wheel<br>Size | Tire<br>Profile | Rear Seat Height   |                      |                    |                    |                    |       |                    |       |                    |      |
|---------------|-----------------|--------------------|----------------------|--------------------|--------------------|--------------------|-------|--------------------|-------|--------------------|------|
| 0.01          | Low             | 11.5" <sup>3</sup> | 12" <sup>1</sup>     | 12.5" <sup>3</sup> | 13" <sup>1</sup>   | 13.5" <sup>3</sup> | 14"   | 14.5" <sup>3</sup> | 15"   | 15.5" <sup>3</sup> | 16"  |
| 20"           | Full            | 12" 3              | 12.5" <sup>1</sup>   | 13" <sup>3</sup>   | 13.5" <sup>1</sup> | 14" <sup>3</sup>   | 14.5" | 15" <sup>3</sup>   | 15.5" | 16" <sup>3</sup>   | 16.5 |
| 0.01          | Low             | 12.5" 3            | 13" <sup>1</sup>     | 13.5" <sup>3</sup> | 14" <sup>1</sup>   | 14.5" <sup>3</sup> | 15"   | 15.5" <sup>3</sup> | 16"   | 16.5" <sup>3</sup> | 17"  |
| 22"           | Full            | 13" <sup>3</sup>   | 13.5" <sup>1</sup>   | 14" <sup>3</sup>   | 14.5" <sup>1</sup> | 15" <sup>3</sup>   | 15.5" | 16" <sup>3</sup>   | 16.5" | 17" <sup>3</sup>   | 17.5 |
| 24"           | Low             | 13.5" <sup>3</sup> | 14" <sup>1</sup>     | 14.5" <sup>3</sup> | 15" <sup>1</sup>   | 15.5" <sup>3</sup> | 16"   | 16.5" <sup>3</sup> | 17"   | 17.5" <sup>3</sup> | 18"  |
| 24            | Full            | 14" <sup>3</sup>   | 14.5" <sup>1</sup>   | 15" <sup>3</sup>   | 15.5" <sup>1</sup> | 16" <sup>3</sup>   | 16.5" | 17" <sup>3</sup>   | 17.5" | 18" <sup>3</sup>   | 18"  |
| 25"           | Low             | 14" <sup>3</sup>   | 14.5" <sup>1</sup>   | 15" <sup>3</sup>   | 15.5" <sup>1</sup> | 16" <sup>3</sup>   | 16.5" | 17" <sup>3</sup>   | 17.5" | 18" <sup>3</sup>   | 18.5 |
| 0.("          | Low             |                    | 15" <sup>1,2</sup>   | 15.5" <sup>3</sup> | 16" <sup>1</sup>   | 16.5" <sup>3</sup> | 17"   | 17.5" <sup>3</sup> | 18"   | 18.5" <sup>3</sup> | 19"  |
| 26"           | Full            | 15" 2,3            | 15.5" <sup>1,2</sup> | 16" <sup>3</sup>   | 16.5" <sup>1</sup> | 17" <sup>3</sup>   | 17.5" | 18" <sup>3</sup>   | 18.5" | 19" <sup>3</sup>   | 19.5 |

1 Not available with Amputee Axle Plate

2 Not available with Height Adjustable Flip Back T-Arm

3 Requires Universal Axle Plate

**One Arm Drive** 

One Arm Drive - Quick Release (E0958) \$1122 Available only with 20", 22" and 24" spoke wheels and Quick Release Axles. Spoke wheel style is exclusive to OAD. Not available with 4 degrees of camber. Standard handrim will be Aluminum Anodized.

#### **Drive Side**

| Left Side Drive<br>Right Side Drive | N/C |
|-------------------------------------|-----|
| Drive Handrim                       | N/C |

| Aluminum Drive Handrim    | N/C   |
|---------------------------|-------|
| Poly Coated Drive Handrim | \$210 |
|                           |       |

#### **Axle Plates** No selection needed with One Arm Drive

Universal Amputee (E0959) Not available with Swing Away Armrests or Wheelchair Drive Ready Option. Required with Reclining Backrest.

N/C

\$187



# **CATALYST** 5

#### **Rear Wheel Type**

No selection needed with One Arm Drive

|                               |   | Re   | ear Whe   | el Size   |  |  |
|-------------------------------|---|--|---|---|--|--|
|                               | Price   | 20"  | 22"   | 24"   | 25"  | 26"  |
| Maxx Spoke                    | \$215   |  |   |   |  |  |
| Maxx Spoke                    | N/C   |  |   |   |  |  |
| Mag                           | N/C   |  |   |   |  |  |
| Superlight Spoke <sup>1</sup> | \$282   |  |   |   | 2  |  |
| Spinergy Spox                 | \$938   |  |   |   |  |  |
| Spinergy LX                   | \$1177  |  |   |   |  |  |
|                               | Maxx Spoke<br>Mag<br>Superlight Spoke <sup>1</sup><br>Spinergy Spox | Maxx Spoke \$215   Maxx Spoke N/C   Mag N/C   Superlight Spoke 1 \$282   Spinergy Spox \$938 | Price 20"   Maxx Spoke \$215   Maxx Spoke N/C   Mag N/C   Superlight Spoke <sup>1</sup> \$282   Spinergy Spox \$938 | Price 20" 22"   Maxx Spoke \$215    Maxx Spoke N/C    Mag N/C    Superlight Spoke <sup>1</sup> \$282    Spinergy Spox \$938 | Maxx Spoke \$215 Image: Constraint of the system of the sy | Price     20"     22"     24"     25"       Maxx Spoke     \$215            Maxx Spoke     N/C   < |

1 Not available with 350 lb Weight Capacity

2 Available only with Superlight and Plastic Coated Handrims

#### Handrims

Ν

| No selection needed with One Arm Drive   |       |
|--|-------|
| Aluminum Anodized  | N/C   |
| Superlight Aluminum Anodized   | \$56  |
| Available only on 24" and 25" wheel sizes. Available only on MAXX Spoke,<br>Superlight or Spinergy wheels.                   |       |
| Plastic Coated   | \$110 |
| Projection (8 Vertical Projections)  | \$359 |
| Available only with full profile tires in combination with 22", 24", and 26"<br>MAXX Spoke wheels, or 22" and 24" Mag wheels |       |
| Omit Handrim   | N/C   |

#### **Handrim Options**

| Handrim Mount<br>If no selection is made, Standard Mount will be used. |      |
|--|------|
| Close Mount  | \$31 |

#### **Spinergy Options**

| Select spoke color and | I handrim tabs for : | Spinergy wheels |              |     |
|------------------------|----------------------|-----------------|--------------|-----|
| Black Spokes           | Red Spokes           | Blue Spokes     | White Spokes | N/C |

#### Ergonomic Handrims Not available with 20" or 26" wheels. Tab mount only available with 24" wheels. Lite Regular Grip Standard Regular Grip Li

Not available on Plastic Coated or Projection Handrims

| Standard Regular Grip | \$456 |
|-----------------------|-------|
| Lite Extra Grip       | \$528 |
| Standard Extra Grip   | \$507 |
| Lite Omit Grip        | \$405 |
| Standard Omit Grip    | \$354 |

### Close Mount

| Deer | <b>T</b> : | <b>T</b> |
|------|------------|----------|
| Rear | Ire        | i vbe    |

| Full Profile  |       |
|---|-------|
| Street Pneumatic 1 3/8" (E2211, E2212)                        | N/C   |
| Not available on 25" wheel size                               |       |
| Full Poly 1 3/8" (E2218)                                      | N/C   |
| Not available on Superlight wheel or 25" or 26" wheel sizes   |       |
| Pneumatic with Airless Insert 1 3/8" (E2211, E2213)           | \$93  |
| Not available on Superlight wheel or 25" wheel size           |       |
| Schwalbe HS-127 1 3/8" (E2211, E2212)                         | \$133 |
| Available only on 24" wheel size. Not available on Mag wheel. |       |
| Schwalbe Downtown 1 3/8" (E2211, E2212)                       | \$103 |
|   |       |

#### Axles

| No selection needed with One Arm Drive or Drum Brake |       |
|--|-------|
| Quick Release  | N/C   |
| Quad Quick Release                                   | \$185 |
| Not available with Mag or Spinergy wheels            |       |

# Low Profile Low Poly 1" (E2218)

3M Micro Grip

| Low Poly 1" (E2218)  | N/C   |
|--|-------|
| Not available on Superlight wheel, 25" or 26" wheel sizes or 350 lb Weight |       |
| Cap.   |       |
| Sentinel Solid Tire 1" (E2218)   | \$103 |
| Not available on Superlight wheel or 20" and 22" Mag wheels                |       |
| High Pressure 1" (E2211, E2212)  | \$103 |
| Not available on Mag wheel   |       |
| Schwalbe One 1" (E2211, E2212)   | \$144 |
| Not available on Mag wheel, 20", 22" or 26" wheel sizes                    |       |
| Schwalbe Marathon Plus Evolution 1" (E2211, E2212)                         | \$154 |
| Not available on Mag wheel, 20" or 22" wheel sizes                         |       |
|  |       |
| Axle Position  |       |
|  |       |
| Rear Wheel Camber  |       |
| 0° 2° 4°   | N/C   |

#### **Center of Gravity**

Rear

Forward Center

No selection needed with Amputee Axle Plate

N/C

\$477

\$72



# $\operatorname{CATALYST} 5$

### Armrests

| Armrest Type  | Len  | gth | Price |
|---|------|-----|-------|
| Height Adjustable T-Arm Tall (11.5"-15") E0973                        | Desk |     | \$323 |
|   | Full |     | \$323 |
| Height Adjustable T-Arm (8.5"-13.5") E0973                            | Desk |     | \$323 |
|   | Full |     | \$3Z3 |
| Height Adjustable T-Arm Low (6.5"-10.5") E0973 <sup>1</sup>           | Desk |     | \$323 |
|   | Full |     | \$323 |
| Height Adjustable Flip Back T-Arm Tall (11.5"-15") E0973 <sup>2</sup> | Desk |     | \$338 |
|   | Full |     | \$336 |
| Height Adjustable Flip Back T-Arm (9.5"-13.5") E0973 $^{\rm 2}$       | Desk |     | \$338 |
|   | Full |     | \$336 |

1 If requested configuration is unavailable, Standard Height T-Arm will be used

- 2 Available only with Curved Rear Frame
- 3 Not available with Seat Depths less than 16"
- 4 Available only with Standard Back Posts
- 5 Available only with Depth Adjustable and Reclining Back Posts
- 6 Not available with Arm Pads

7 Not Available with 15" Rear Seat Height and 24" wheels

| Armrest Type  | Len  | gth  | Price        |
|---|------|------|--------------|
| Flip back (10.5") <sup>3,4,7</sup>                        | Desk | Desk | N/C          |
|   | Full |      | N/C          |
| Angle Adjustable Locking Extendable Flip Up E0973 $^5$    | Desk |      | \$292        |
|   | Full |      | <i>Φ</i> 272 |
| Swing Away (10.5"-12.5") E0973 <sup>4,6</sup>             |      |      | \$241        |
| Swing Away with Side Guard (10.5"-12.5") E0973 $^{4\!.6}$ |      |      | \$359        |
| Omit Armrests   |      |      | N/C          |
|   |      |      |              |

#### **Arm Pads**

| Standard Arm Pad  | N/C  |
|---|------|
| Waterfall Arm Pad   | \$26 |
| Available only with Height Adjustable T-Arm Tall, Height Adjustable T-Arm,<br>and Height Adjustable T-Arm Low |      |
| Foam Grip   | N/C  |
| Available only with Angle Adjustable Locking Extendable Flip Up Armrest                                       |      |

### Accessories

| Removable Side Guard  |       |
|---|-------|
| Not available with T-Arms, Flib Back or Swing Away with Side Guard Armrests |       |
| Adult Composite Side Guards (K0108)   | \$154 |
| Pediatric Composite Side Guards (K0108)                                     | \$154 |
| Aluminum Straight - Black Matte (K0108)                                     | \$210 |
| Aluminum Straight - Match Frame Color (K0108)                               | \$261 |
| Not available with Hydrographics or Titanium Frame                          |       |
| Aluminum Adjustable Fender w/Foam Pad - Black Matte (K0108)                 | \$292 |
| Aluminum Adjustable Fender w/Foam Pad - Match Frame Color                   |       |
| (K0108)   | \$343 |
| Not available with Hydrographics or Titanium Frame                          |       |
| Carbon Fiber Adjustable Fender (K0108)                                      | \$513 |

#### Anti-tips

| •  |       |
|--|-------|
| Rear Anti-Tips (E0971)   | \$165 |
| Swing-In Anti-Tip Single - Left (E0971)  | \$164 |
| Not available with 350 lb Weight Capacity, Reclining Back Post or Depth<br>Adjustable Rear Frame. Not available with left side O2 Holder.                    |       |
| Swing-In Anti-Tip Single - Right (E0971)   | \$164 |
| Not available with 350 lb Weight Capacity, Reclining Back Post or Depth  |       |
| Adjustable Rear Frame. Not available with right side O2 Holder.  |       |
| Swing-In Anti-Tip Pair (E0971)   | \$328 |
| Not available with 350 lb Weight Capacity, Reclining Back Post or Depth<br>Adjustable Rear Frame. Not available with Cane and Crutch Holder or O2<br>Holder. |       |
| Omit   | N/C   |
|  |       |

#### Accessories

#### **Pelvic Positioning Belts**

| 1 1/2" Auto Buckle Pelvic Positioning Belt (E0978)        | \$87  |
|---|-------|
| 1 1/2" Padded Auto Buckle Pelvic Positioning Belt (E0978) | \$179 |
| 2" Airline Buckle Pelvic Positioning Belt (E0978)         | \$118 |
| 1" Padded Auto Buckle Pelvic Positioning Belt (E0978)     | \$179 |
| Small Bodypoint Evoflex (16-24") (E0978)                  | \$200 |
| Medium Bodypoint Evoflex (19-29") (E0978)                 | \$200 |
| Large Bodypoint Evoflex (25-37") (E0978)                  | \$200 |
| Belt Mounting Band Clamp                                  | \$36  |

#### **O2 Holder**

#### Not Available with Depth Adjustable Rear Frame

| O2 Holder - Left Side (E2208)  | \$31 | 13 |
|--------------------------------|------|----|
| O2 Holder - Right Side (E2208) | \$31 | 3  |

#### **Additional Accessories**

| Tool Kit                       | \$46  |
|--------------------------------|-------|
| Removable Underseat Pouch      | \$51  |
| Pediatric Ki Mobility Backpack | \$51  |
| Ki Mobility Backpack           | \$80  |
| Luggage Carrier                | \$87  |
| Black Neoprene Impact Guards   | \$97  |
| Clear Spoke Guards (K0065)     | \$123 |
| Black Spoke Guards (K0065)     | \$123 |
| Cane and Crutch Holder         | \$210 |
| IV Pole                        | \$292 |



# **CATALYST** 5

### Color

| Gloss Finish    |     |
|-----------------|-----|
| Black           | N/C |
| Blue Skies      | N/C |
| Bubblegum Pink  | N/C |
| Candy Blue      | N/C |
| Candy Purple    | N/C |
| Candy Red       | N/C |
| Copper          | N/C |
| Granny Smith    | N/C |
| Metallic Orange | N/C |
| Yellow          | N/C |

# HydrographicsAOR1 (Desert Digital Camo)\$825NEXT Camo\$825Pink Camo\$825Carbon Fiber\$825Select Hydrographics Base Color\$825Muddy Girl\$825Zebra\$825

Select Hydrographic Base Color. Zebra not available in Black.

#### Hydrographics Base Color

#### Required with Hydrographics

| Black  | Blue | Pink | Granny Smith |     |
|--------|------|------|--------------|-----|
| Purple | Red  |      |              | N/C |

#### **Colored Anodizing Package**

Select desired color. If no selection is made, black will be used.

|       | Option             | Standard <sup>2</sup><br>Caster<br>Housing | Caster Fork $^3$ | Axle Plate <sup>4</sup> |
|-------|--------------------|--|------------------|-------------------------|
|       | Retail             | \$82                                       | \$82             | \$82                    |
| Color | Black <sup>1</sup> |  |                  |                         |
|       | Blue               |  |                  |                         |
|       | Bright Green       |  |                  |                         |
|       | Orange             |  |                  |                         |
|       | Pewter             |  |                  |                         |
|       | Pink               |  |                  |                         |
|       | Purple             |  |                  |                         |
|       | Red                |  |                  |                         |

1 Black is no charge

2 Available only if corresponding option selection was made

3 Not available with 2" wide casters, Frog Legs Suspension Fork or Frog Legs II Suspension System

4 Color Anodized not available with amputee axle plate

| Military Green      | N/C |
|---------------------|-----|
| Charcoal Gray       | N/C |
| Emerald Green       | N/C |
| Iridescent Burgundy | N/C |
| Iridescent Navy     | N/C |
| Retro Red           | N/C |
| Royal Blue          | N/C |
| Shadow Black        | N/C |
| Smooth White        | N/C |
|                     |     |



# **CATALYST** 5

Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

|                   |                            |       |           |      |              |        | Cata      | lyst Fr                | ront Se      | eat He    | ight N | latrix |              |           |      | _    |              |            |      |
|-------------------|----------------------------|-------|-----------|------|--------------|--------|-----------|------------------------|--------------|-----------|--------|--------|--------------|-----------|------|------|--------------|------------|------|
| 4" Caster         |                            |       | 5" Caster |      |              |        | 6" Caster |                        |              | 7" Caster |        |        |              | 8" Caster |      |      |              |            |      |
| FSH               | Super<br>Low               | Stem  | Fork      | FSH  | Super<br>Low | Stem   | Fork      | FSH                    | Super<br>Low | Stem      | Fork   | FSH    | Super<br>Low | Stem      | Fork | FSH  | Super<br>Low | Stem       | Fork |
| 15                | 13.5                       | Std   |           | 16   | 14.5         | Std    |           | 17                     | 15.5         | Std       |        | 18     | 16.5         |           |      | 19   | 17.5         | Std        |      |
| 15.5              | 14                         | 310   |           | 16.5 | 15.5         | 3/4 4" | 17.5      | 16.5                   | 3/4          | 5"        | 18.5   | 17     | Std          |           | 19.5 | 18.5 | 3/4          | 6"         |      |
| 15.5 <sup>1</sup> | 141                        | 3/4   | 47        | 17.5 | 16           | 1 1/2  |           | 18.5                   | 17           | 1 1/2     |        | 18.5   | 17.5         | 3/4       | 6"   | 20.5 | n/a          | 1 1/2      |      |
| 16                | 14.5                       | 344   |           | 16   | 14.5         | Std    |           | 17                     | 15.5         |           |        | 19     | 18           |           |      | 19   | 17.5         | Std<br>3/4 | 7"   |
| 16.5 <sup>1</sup> | 15 <sup>1</sup>            |       |           | 16.5 | 15           |        |           | 17.5                   | 16           | Std       |        | 19.5   | 18           |           |      | 19.5 | 18           |            |      |
| 17                | 15.5                       | 1 1/2 |           | 16.5 | 15.5         |        |           | 18                     | 16.5         |           |        | 20     | 18.5         |           |      | 20   | 18.5         |            |      |
| 15.5              | 14                         | ~     |           | 17   | 16           | 3/4    | 5"        | 17.5                   | 16.5         | 3/4       | 6-     | 18.5   | 17           |           | 7"   | 20.5 | 19           |            |      |
| 16                | 14.5                       | Std   |           | 17.5 | 16           |        | 1 1/2     | 18                     | 17           |           |        | 19     | 17.5         | 1         |      | 19.5 | 18.5         |            |      |
| 16                | 15                         |       |           | 18   | 16.5         | 1 1/2  |           | 18.5                   | 17.5         |           |        | 19.5   | 18           | Std       |      | 20   | 19           |            |      |
| 16.5              | 15.5                       | 3/4   | 5"        | 16.5 | 15           |        | Std       | 18.5                   | 17           | 1 1/2     |        | 20     | 18.5         | 3/4       |      | 20.5 | n/a          |            |      |
| 17                | 15.5                       |       |           | 17   | 15.5         | Std    |           | 19                     | 17.5         |           |        | 19     | 18           |           |      | 21   | n/a          |            |      |
| 17.5              | 16                         | 1 1/2 |           | 17.5 | 16           |        |           | 19.5                   | 18           |           |        | 19.5   | 18.5         |           |      | 20.5 | 19           |            | 1    |
| 16.5              | 15                         |       |           | 17.5 | 16           | 3/4 6* |           | 18                     | 16.5         |           |        | 20     | 19           |           |      | 21   | n/a          |            |      |
| 17                | 15.5                       | Std   |           | 18   | 16.5         |        | 6"        | 18.5                   | 17           | Std       |        | 20.5   | n/a          |           |      |      |              |            |      |
| 17                | 16                         |       |           | 18.5 | 17           |        |           | 19                     | 17.5         |           |        | 20     | 18.5         |           |      |      |              |            |      |
| 17.5              | 16.5                       | 3/4   | 6"        | 18   | 16.5         |        |           | 19.5                   | 18           |           |        | 20.5   | 19           |           |      |      |              |            |      |
| 18                | 16.5                       |       |           | 18.5 | 17           |        |           | 18.5                   | 17.5         |           |        | 21     | n/a          |           |      |      |              |            |      |
| 18.5              | 17                         | 1 1/2 |           | 19   | 17.5         |        | 19        | 18                     | 1            |           |        |        |              |           |      |      |              |            |      |
| 18                | 16.5                       |       |           | 18   | 16.5         | Std    |           | 19.5                   | 18.5         | 3/4       | _      |        |              |           |      |      |              |            |      |
| 18.5              | 17                         | Std   |           | 18.5 | 17           |        |           | 20                     | 19           |           |        |        |              |           |      |      |              |            |      |
| 18.5              | 17.5                       |       |           | 19   | 17.5         |        |           | 19.5                   | 18           |           |        |        |              |           |      |      |              |            |      |
| 19                | 18                         | 3/4   | r         | 18.5 | 17.5         |        | 4 7*      | 20                     | 18.5         | 1 1/2     |        |        |              |           |      |      |              |            |      |
| 19.5              | 18.5                       |       |           | 19   | 18           | 3/4    |           | 20.5                   | 19           |           |        |        |              |           |      |      |              |            |      |
| 20                | 19                         | 1 1/2 |           | 19.5 | 18.5         |        |           | 21                     | n/a          |           |        |        |              |           |      |      |              |            |      |
|                   | 19.5 18 6" x 2" caster not |       |           |      |              |        |           |                        |              |           |        |        |              |           |      |      |              |            |      |
|                   |                            |       |           | 20   | 18.5         | 1 1/2  |           | available with 5" fork |              |           |        |        |              |           |      |      |              |            |      |
|                   |                            |       |           | 20.5 | 19           |        |           |                        |              |           |        |        |              |           |      |      |              |            |      |

<sup>1</sup> Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Front Frame. Seat heights with "Super Low" heading available with Super Low Front Frame. Actual seat height may vary depending upon configuration.