



Phone (800) 981-1540 | Fax (715) 254-0996  
sales@kimobility.com | www.kimobility.com

# FOCUS CR TTL

Company:

Ship To:

Account Number:

Date:

Address:

Quote: PO Number:

City:

State:

ATP:

Zip:

Phone:

Marked For:

Email/Fax:

Associated Quote/Order#:

Effective: 1/10/2024

Focus CR TTL - Transit Included (E1161) \$3981

Focus CR TTL - Transit Not Included (E1161) \$3809

300 lb weight capacity Tilt range: -5° anterior to 50° posterior

## Frame

### Frame Width Range / Frame Width

Select Frame Width within desired Frame Width Range

| Frame Width Range                | Frame Width       |                   |                   |                   |                   |
|----------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Small (14" - 18")                | 14" N/C           | 15" N/C           | 16" N/C           | 17" N/C           | 18" N/C           |
| Medium (16" - 20")               | 16" N/C           | 17" N/C           | 18" N/C           | 19" N/C           | 20" (E2201) \$533 |
| Large (18" - 22")                | 18" N/C           | 19" N/C           | 20" (E2201) \$533 | 21" (E2201) \$533 | 22" (E2201) \$533 |
| X-Large (20" - 24") <sup>1</sup> | 20" (E2201) \$533 | 21" (E2201) \$533 | 22" (E2201) \$533 | 23" (E2201) \$743 | 24" (E2202) \$743 |

<sup>1</sup> 400 lb Weight Capacity is required

### Seating Setup

Make one selection from either Option 1 at right or Option 2 below based on desired seating setup

Setup By Ki Mobility (Option 1) N/C

Select Seat Depth corresponding to desired Frame Depth Range row and Backrest Offset column. Note: All Seat Depths in a column and within the same frame depth range are achievable with future adjustment.

Setup by Frame Depth (Option 2) N/C

Select Frame Depth within desired Frame Depth Range

### Option 2: Setup By Frame Depth

| Frame Depth Range | Frame Depth |         |                   |                   |                    |
|-------------------|-------------|---------|-------------------|-------------------|--------------------|
| Short             | 14" N/C     | 15" N/C | 16" N/C           | 17" N/C           | 18" N/C            |
| Medium            | 16" N/C     | 17" N/C | 18" N/C           | 19" N/C           | 20" (E2203) \$630  |
| Long              | 18" N/C     | 19" N/C | 20" (E2203) \$630 | 21" (E2203) \$630 | 22" (E2204) \$1056 |


### Seat Options

Growing Adjustable Aluminum Seat Pan (E2231) \$46

Omit Seat Pan N/C

### Option 1: Setup By Ki Mobility

| Frame Depth Range | Backrest Offset A |                  |                  |                  |     |     |     |
|-------------------|-------------------|------------------|------------------|------------------|-----|-----|-----|
|                   | -2"               | -1"              | Flush            | +1"              | +2" | +3" | +4" |
| Short             | Seat Depth        |                  |                  |                  |     |     |     |
|                   | 16"               | 15"              | 14"              |                  |     |     |     |
|                   | 17"               | 16"              | 15"              | 14"              |     |     |     |
|                   | 18"               | 17"              | 16"              | 15"              | 14" |     |     |
|                   | 19"               | 18"              | 17"              | 16"              | 15" | 14" |     |
| Medium            | 20" <sup>1</sup>  | 19"              | 18"              | 17"              | 16" | 15" | 14" |
|                   | 18"               | 17"              | 16"              | 15"              | 14" |     |     |
|                   | 19"               | 18"              | 17"              | 16"              | 15" | 14" |     |
|                   | 20" <sup>1</sup>  | 19"              | 18"              | 17"              | 16" | 15" | 14" |
|                   | 21" <sup>1</sup>  | 20" <sup>1</sup> | 19"              | 18"              | 17" | 16" | 15" |
| Long              | 22" <sup>2</sup>  | 21" <sup>1</sup> | 20" <sup>1</sup> | 19"              | 18" | 17" | 16" |
|                   | 20" <sup>1</sup>  | 19"              | 18"              | 17"              | 16" | 15" | 14" |
|                   | 21" <sup>1</sup>  | 20" <sup>1</sup> | 19"              | 18"              | 17" | 16" | 15" |
|                   | 22" <sup>2</sup>  | 21" <sup>1</sup> | 20" <sup>1</sup> | 19"              | 18" | 17" | 16" |
|                   |                   | 22" <sup>2</sup> | 21" <sup>1</sup> | 20" <sup>1</sup> | 19" | 18" | 17" |

<sup>1</sup> Price is \$630 E2203<sup>2</sup> Price is \$1056 E2204

HCPCS codes provided are based on code verification by the PDAC or our interpretation of the code definitions.

Proper use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

DCN0047.37 Pricing and specifications subject to change without notice.



Phone (800) 981-1540 | Fax (715) 254-0996  
sales@kimobility.com | www.kimobility.com

# FOCUS CR TTL

## Frame Options

| Weight Capacity                                                                  |       | Offset Hanger Option                                                                                                                           |       |
|----------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 300 lbs                                                                          | N/C   | Offset Hanger with Tilt Stops                                                                                                                  | \$36  |
| 400 lbs (Heavy Duty)                                                             | \$451 | <i>Tilt Stop included. No anterior tilt.</i>                                                                                                   |       |
| <i>Available only with Long Frame Depth Range and 8" x 2" or 6" x 2" Casters</i> |       |                                                                                                                                                |       |
| Transit Option                                                                   |       | Vent and Battery Tray                                                                                                                          |       |
| Transit System                                                                   | \$343 | <i>Requires minimum 16" Seat Height. Not available on 14" or 15" Frame Widths, Attendant Foot Lock, 12" wheels, One Arm Drive, 5" casters.</i> |       |
| Omit Transit                                                                     | N/C   | Vent Tray (E1029)                                                                                                                              | \$282 |
|                                                                                  |       | <i>Not available with Self Propel Axle Plate or Foot Tilt. Requires Anti-Tip.</i>                                                              |       |
|                                                                                  |       | Battery Box Holder (E1029)                                                                                                                     | \$282 |
|                                                                                  |       | <i>Available only with Dual Hand Tilt</i>                                                                                                      |       |
|                                                                                  |       | Vent Tray and Battery Box Holder (E1029)                                                                                                       | \$564 |
|                                                                                  |       | <i>Requires Anti-Tip. Available only with Dual Hand Tilt. Not available with Self Propel Axle Plate.</i>                                       |       |

## Tilt Mechanism

| Tilt Mechanism                                                                                                                                        | Power Tilt Options                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <i>Power Tilt not available with Vent Tray, Battery Box Holder, or 400 lb Weight Capacity. Power Tilt includes Anterior and Posterior Tilt Stops.</i> |                                      |
| Hand Tilt - Right                                                                                                                                     | N/C                                  |
| Hand Tilt - Left                                                                                                                                      | N/C                                  |
| Hand Tilt - Dual                                                                                                                                      | N/C                                  |
| Foot Tilt - Right                                                                                                                                     | N/C                                  |
| Foot Tilt - Left                                                                                                                                      | N/C                                  |
| Power Tilt - Right (E1002)                                                                                                                            | \$2250                               |
| Power Tilt - Left (E1002)                                                                                                                             | \$2250                               |
|                                                                                                                                                       | <i>Power Tilt selection required</i> |
|                                                                                                                                                       | Toggle Switch                        |
|                                                                                                                                                       | Pendant Control                      |
|                                                                                                                                                       | <i>Sent as accessory</i>             |
|                                                                                                                                                       | Interface for Adaptive Switching     |
|                                                                                                                                                       | <i>Sent as accessory</i>             |

## Backrest

| Back Post                                                                                                                                               | Stroller Handle Extensions                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Stroller Handle Back Post (Short 20")                                                                                                                   | N/C                                                                                                                                            |
| Stroller Handle Back Post (Tall 24")                                                                                                                    | N/C                                                                                                                                            |
| Fixed Height Back with Adjustable Handle (Short 22")                                                                                                    | N/C                                                                                                                                            |
| <i>Not available with Dynamic Back</i>                                                                                                                  |                                                                                                                                                |
| Fixed Height Back with Adjustable Handle (Tall 26")                                                                                                     | N/C                                                                                                                                            |
| <i>Not available with Dynamic Back</i>                                                                                                                  |                                                                                                                                                |
| Adjustable Height Back with Adjustable Handle (Short 18" - 25")                                                                                         | N/C                                                                                                                                            |
| <i>Not available with O2 Holder or Dynamic Back</i>                                                                                                     |                                                                                                                                                |
| Adjustable Height Back with Adjustable Handle (Tall 20" - 27")                                                                                          | N/C                                                                                                                                            |
| <i>20"-22" Heights not available with Dynamic Back</i>                                                                                                  |                                                                                                                                                |
| Reclining Back with Adjustable Handle (Short 22") (Non-Folding)                                                                                         | \$1025                                                                                                                                         |
| <i>Not available with O2 Holder or Dynamic Back. If no Recline Angle and Gas Spring selections are made, 0° - 65° and Standard Spring will be used.</i> |                                                                                                                                                |
| Reclining Back with Adjustable Handle (Tall 26") (Non-Folding)                                                                                          | \$1025                                                                                                                                         |
| <i>Not available with O2 Holder or Dynamic Back. If no Recline Angle and Gas Spring selections are made, 0° - 65° and Standard Spring will be used.</i> |                                                                                                                                                |
| Backrest Height                                                                                                                                         | Other Backrest Options                                                                                                                         |
| <i>Required when Adjustable Height Back with Adjustable Handle Back Post is selected</i>                                                                |                                                                                                                                                |
| 18" <sup>1</sup> 19" <sup>1</sup> 20" 21" 22" 23" 24" 25" 26" <sup>2</sup>                                                                              | Non Folding Back                                                                                                                               |
| 27" <sup>2</sup>                                                                                                                                        | <i>Standard with Reclining Back and Dynamic Back</i>                                                                                           |
|                                                                                                                                                         | Dynamic Back (E2398)                                                                                                                           |
|                                                                                                                                                         | <i>Available only with Non Folding Back. Not available with Angle Adjustable Locking Extendable Flip Up Armrest or 400 lb Weight Capacity.</i> |
|                                                                                                                                                         | Adjustable Height Rigidizer Bar                                                                                                                |
|                                                                                                                                                         | <i>Not available with 23" or 24" frame widths</i>                                                                                              |
| <i>1 Available only with Short</i>                                                                                                                      |                                                                                                                                                |
| <i>2 Available only with Tall</i>                                                                                                                       |                                                                                                                                                |
|                                                                                                                                                         | Reclining Back Options                                                                                                                         |
|                                                                                                                                                         | <i>Required when Reclining Back is selected</i>                                                                                                |
|                                                                                                                                                         | Recline Angle                                                                                                                                  |
|                                                                                                                                                         | 0-65° Recline Angle (E1225)                                                                                                                    |
|                                                                                                                                                         | 10-75° Recline Angle (E1225)                                                                                                                   |
|                                                                                                                                                         | 20-85° Recline Angle (E1226)                                                                                                                   |
|                                                                                                                                                         | Gas Spring                                                                                                                                     |
|                                                                                                                                                         | Standard Spring                                                                                                                                |
|                                                                                                                                                         | Heavy Duty Spring                                                                                                                              |

## Footrest

### Hanger / Front Frame Bend

| Hanger                                            | 60° | 70° | 80° | 90° |  | Retail |
|---------------------------------------------------|-----|-----|-----|-----|--|--------|
| Extension Tube Mount                              |     |     | 1   |     |  | N/C    |
| Front Mount                                       |     |     | 1   | 2   |  | N/C    |
| Pro Elevating Leg Rests E0990                     |     |     |     |     |  | \$318  |
| Pediatric Pro Elevating Leg Rests E0990           |     |     |     |     |  | \$318  |
| Contracture Footrest Bilateral Mount <sup>3</sup> |     |     |     |     |  | \$382  |
| Contracture Footrest Center Mount <sup>3</sup>    |     |     |     |     |  | \$382  |
| Omit Hangers                                      |     |     |     |     |  | (\$20) |

1 7" or 8" Casters may interfere with less than 5° tilt

2 Not available with 7" or 8" Casters


3 Aluminum Angle Adjustable footplates included. See image to right.

### 3" Extension

Available only with Front Mount Hangers

3" Extension N/C

3" Extension (Provided as Parts) N/C



### PRO ELR Cover

Available only on PRO ELR

Gel Pad Covers (PAIR) (K0108) \$425

### Footrest / Extension / Seat to Footrest Length

Select Seat to Footrest Length in row corresponding to desired Footrest and Extension. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hanger measurements based on 70° Hanger Bend.

| Measurements based on 70° Hanger Bent.  |                                                 |                         |                   |       |       |       |       |       |       |       |                                |       |       |
|-----------------------------------------|-------------------------------------------------|-------------------------|-------------------|-------|-------|-------|-------|-------|-------|-------|--------------------------------|-------|-------|
| Footrest                                | Extension                                       | Seat to Footrest Length |                   |       |       |       |       |       |       |       |                                |       |       |
| Extension Tube Hangers<br>(60°,70°,80°) | Short (10" - 13.5")                             | 10"                     | 10.5"             | 11"   | 11.5" | 12"   | 12.5" | 13"   | 13.5" |       |                                |       |       |
|                                         | Medium (11.5" - 15.5")                          | 11.5"                   | 12"               | 12.5" | 13"   | 13.5" | 14"   | 14.5" | 15"   | 15.5" |                                |       |       |
|                                         | Long (14" - 18")                                | 14"                     | 14.5"             | 15"   | 15.5" | 16"   | 16.5" | 17"   | 17.5" | 18"   |                                |       |       |
| Front Mount Hangers <sup>1</sup>        |                                                 | Standard Selections     |                   |       |       |       |       |       |       |       | Requires 3" Extension for \$35 |       |       |
|                                         | Short Front Mount Hanger                        | 4" <sup>2</sup>         | 4.5" <sup>2</sup> | 5"    | 5.5"  | 6"    |       |       |       |       | 8.5"                           | 9"    | 9.5"  |
|                                         |                                                 | 6.5"                    | 7"                | 7.5"  | 8"    |       |       |       |       | 10"   | 10.5"                          | 11"   |       |
|                                         | Medium Front Mount Hanger                       | 4" <sup>2</sup>         | 4.5" <sup>2</sup> | 5"    | 5.5"  | 6"    | 6.5"  | 7"    |       |       | 10.5"                          | 11"   | 11.5" |
|                                         |                                                 | 7.5"                    | 8"                | 8.5"  | 9"    | 9.5"  | 10"   |       |       |       | 12"                            | 12.5" | 13"   |
|                                         | Long Front Mount Hanger                         | 5"                      | 5.5"              | 6"    | 6.5"  | 7"    | 7.5"  | 8"    | 8.5"  |       | 12.5"                          | 13"   | 13.5" |
| 9"                                      |                                                 | 9.5"                    | 10"               | 10.5" | 11"   | 11.5" | 12"   |       |       | 14"   | 14.5"                          | 15"   |       |
| Contracture Footrest                    | Short (10" - 13.5")                             | 10.5"                   | 11"               | 11.5" | 12"   | 12.5" | 13"   | 13.5" | 14"   | 14.5" |                                |       |       |
|                                         | Medium (11.5" - 15.5")                          | 13.5"                   | 14"               | 14.5" | 15"   | 15.5" | 16"   | 16.5" | 17"   | 17.5" |                                |       |       |
|                                         | Long (14" - 18")                                | 16.5"                   | 17"               | 17.5" | 18"   | 18.5" | 19"   | 19.5" | 20"   | 20.5" |                                |       |       |
| PRO ELR Low Pivot Setting               | PRO ELR Low Pivot Setting Short (10.5" - 15.5") | 10.5" - 15.5"           |                   |       |       |       |       |       |       |       |                                |       |       |
|                                         | PRO ELR Low Pivot Setting Long (13" - 19")      | 13" - 19"               |                   |       |       |       |       |       |       |       |                                |       |       |
| PRO ELR High Pivot Setting              | PRO ELR High Pivot Setting Short (8.5" - 17")   | 8.5" - 17"              |                   |       |       |       |       |       |       |       |                                |       |       |
|                                         | PRO ELR High Pivot Setting Long (11.5" - 17.5") | 11.5" - 17.5"           |                   |       |       |       |       |       |       |       |                                |       |       |

<sup>1</sup> See Minimum Front Seat Height chart below

<sup>2</sup> Available with 90° only

| Minimum Front Seat Height with Front Mount Hangers |       |        |        |        |         |
|----------------------------------------------------|-------|--------|--------|--------|---------|
| Hanger Length                                      | Short |        | Medium |        | Long    |
| Hanger Bend                                        | 70°   | 80/90° | 70°    | 80/90° | 70° 80° |
| Minimum Front Seat Height with Standard Selection  | 13"   | 13"    | 13"    | 13.5"  | 14.5"   |
| Minimum Front Seat Height with 3" Extension        | 13.5" | 14"    | 15.5"  | 16"    | 17"     |



Phone (800) 981-1540 | Fax (715) 254-0996  
sales@kimobility.com | www.kimobility.com

# FOCUS *CR TTL*

## Footplates

*No selection needed with Contracture Footrest*

|                                                                                      |       |
|--------------------------------------------------------------------------------------|-------|
| Composite                                                                            | N/C   |
| <i>Not available with Front Mount Hanger</i>                                         |       |
| Composite Angle Adjustable (K0040)                                                   | \$195 |
| <i>Not available with Front Mount Hanger or 14" Seat Width without Offset Hanger</i> |       |
| Aluminum Angle Adjustable (K0040)                                                    | \$210 |
| Aluminum Locking Multi-Angle Adjustable (K0108)                                      | \$318 |
| <i>Available only with Front Mount Hanger</i>                                        |       |
| One Piece Flip Up Angle Adjustable (K0040)                                           | \$205 |
| <i>Not available with Front Mount Hanger or PRO ELR</i>                              |       |

## Heel Loops

*Not available with One Piece Flip Up Angle Adjustable Footplate*

|                               |      |
|-------------------------------|------|
| Heel Loops (E0951)            | \$46 |
| Adjustable Heel Loops (E0951) | \$56 |
| Omit Heel Loops               | N/C  |

## Calf Straps

|                                   |       |
|-----------------------------------|-------|
| Velcro Adjustable (K0038)         | \$41  |
| Padded Velcro Adjustable (K0038)  | \$72  |
| Bodypoint Padded AeroMesh (K0038) | \$128 |

## Hanger Release

*No selection needed with Contracture Footrest. If no selection is made 4-Way - In line Hanger Release will be used.*

|                 |     |
|-----------------|-----|
| Classic         | N/C |
| 4-Way - In-Line | N/C |
| 4-Way - Out     | N/C |

## Residual Limb Support

|       | Limb Support               | Price | Omit              | Cover              |                      | Pad Size           |                     |                     |                     |                      |                      |
|-------|----------------------------|-------|-------------------|--------------------|----------------------|--------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| Left  | Left Limb Support (E1020)  | \$431 | Omit Left Hanger  | Smooth Cover Left  | Air Mesh Cover Left  | 5X8 Pad Left Side  | 7X10 Pad Left Side  | 9x10 Pad Left Side  | 9x14 Pad Left Side  | 11x10 Pad Left Side  | 11x14 Pad Left Side  |
| Right | Right Limb Support (E1020) | \$431 | Omit Right Hanger | Smooth Cover Right | Air Mesh Cover Right | 5X8 Pad Right Side | 7X10 Pad Right Side | 9x10 Pad Right Side | 9x14 Pad Right Side | 11x10 Pad Right Side | 11x14 Pad Right Side |

## Seat Height, Casters and Rear Wheels

Select Seat Height corresponding to desired Rear Wheel and Caster Size

| Rear Wheel Size                                                                  | Caster Size        |                    |                    |                    |                  |                    |
|----------------------------------------------------------------------------------|--------------------|--------------------|--------------------|--------------------|------------------|--------------------|
|                                                                                  | 5"                 | 6"                 | 6" x 2"            | 7"                 | 8"               | 8" x 2"            |
| 12" with Pneumatic or Pneumatic with Airless Insert Tire <sup>3</sup>            | Seat Height        |                    |                    |                    |                  |                    |
|                                                                                  | 13.5"              |                    |                    |                    |                  |                    |
|                                                                                  | 14"                |                    |                    |                    |                  |                    |
|                                                                                  | 14.5"              | 14.5"              | 14.5"              |                    | 17"              |                    |
|                                                                                  | 17.5"              | 17.5"              | 17.5"              | 17.5"              | 17.5"            | 17.5"              |
|                                                                                  | 18"                | 18"                | 18"                | 18"                | 18"              | 18"                |
|                                                                                  | 18.5"              | 18.5"              | 18.5"              | 18.5"              | 18.5"            | 18.5"              |
|                                                                                  | 19"                | 19"                | 19"                | 19"                | 19"              | 19"                |
| 12" with Full Poly Tire <sup>3</sup>                                             | 16.5"              | 16.5"              | 16.5"              |                    |                  |                    |
|                                                                                  | 17"                | 17"                | 17"                | 17"                | 17"              | 17"                |
|                                                                                  | 17.5"              | 17.5"              | 17.5"              | 17.5"              | 17.5"            | 17.5"              |
|                                                                                  | 18"                | 18"                | 18"                | 18"                | 18"              | 18"                |
|                                                                                  | 18.5"              | 18.5"              | 18.5"              | 18.5"              | 18.5"            | 18.5"              |
|                                                                                  | 19"                | 19"                | 19"                | 19"                |                  |                    |
| 12" with Drum Brake                                                              | 13"                |                    |                    |                    |                  |                    |
|                                                                                  | 13.5"              |                    |                    |                    |                  |                    |
|                                                                                  | 14"                | 14"                | 14"                |                    |                  |                    |
|                                                                                  | 14.5"              | 14.5"              | 14.5"              |                    |                  |                    |
|                                                                                  | 17.5"              | 17.5"              | 17.5"              | 17.5"              | 17.5"            | 17.5"              |
|                                                                                  | 18"                | 18"                | 18"                | 18"                | 18"              | 18"                |
|                                                                                  | 18.5"              | 18.5"              | 18.5"              | 18.5"              | 18.5"            | 18.5"              |
|                                                                                  | 19"                | 19"                | 19"                | 19"                | 19"              | 19"                |
|                                                                                  | 19.5"              | 19.5"              | 19.5"              | 19.5"              | 19.5"            | 19.5"              |
|                                                                                  | 20" <sup>2</sup>   |                    | 20" <sup>2</sup>   | 20" <sup>2</sup>   | 20" <sup>2</sup> |                    |
| 16" with Pneumatic, Pneumatic with Airless Insert or Full Poly Tire <sup>4</sup> | 13"                |                    |                    |                    |                  |                    |
|                                                                                  | 13.5"              |                    |                    |                    |                  |                    |
|                                                                                  | 14"                | 14"                | 14"                |                    |                  |                    |
|                                                                                  | 14.5"              | 14.5"              | 14.5"              |                    |                  |                    |
|                                                                                  | 15"                | 15"                | 15"                | 15"                |                  |                    |
|                                                                                  | 15.5"              | 15.5"              | 15.5"              | 15.5"              |                  |                    |
|                                                                                  | 16"                | 16"                | 16"                | 16"                | 16"              | 16"                |
|                                                                                  | 16.5" <sup>1</sup> | 16.5" <sup>1</sup> | 16.5" <sup>1</sup> | 16.5" <sup>1</sup> |                  | 16.5" <sup>1</sup> |
|                                                                                  | 19"                | 19"                | 19"                | 19" <sup>2</sup>   | 19"              | 19"                |
|                                                                                  | 19.5"              | 19.5"              | 19.5"              | 19.5"              | 19.5"            | 19.5"              |
|                                                                                  | 20"                | 20"                | 20"                | 20"                | 20"              | 20"                |
|                                                                                  | 20.5"              | 20.5"              | 20.5"              | 20.5"              | 20.5"            | 20.5"              |
| 16" with Low Poly Tire <sup>4</sup>                                              | 13"                |                    |                    |                    |                  |                    |
|                                                                                  | 13.5"              |                    |                    |                    |                  |                    |
|                                                                                  | 14"                | 14"                | 14"                |                    |                  |                    |
|                                                                                  | 14.5"              | 14.5"              | 14.5"              |                    |                  |                    |
|                                                                                  | 15"                | 15"                | 15"                | 15"                |                  |                    |
|                                                                                  | 18"                | 18"                | 18"                | 18"                | 18"              | 18"                |
|                                                                                  | 18.5"              | 18.5"              | 18.5"              | 18.5"              | 18.5"            | 18.5"              |
|                                                                                  | 19"                | 19"                | 19"                | 19"                | 19"              | 19"                |
|                                                                                  | 19.5"              | 19.5"              | 19.5"              | 19.5"              | 19.5"            | 19.5"              |
|                                                                                  | 20"                | 20"                | 20"                | 20"                | 20"              | 20"                |
|                                                                                  |                    |                    | 20.5"              | 20.5"              | 20.5"            |                    |

| Rear<br>Wheel<br>Size            | Caster Size        |                      |                      |                    |                  |                    |
|----------------------------------|--------------------|----------------------|----------------------|--------------------|------------------|--------------------|
|                                  | 5"                 | 6"                   | 6" x 2"              | 7"                 | 8"               | 8" x 2"            |
|                                  | Seat Height        |                      |                      |                    |                  |                    |
| 16" with Drum Brake <sup>4</sup> | 13.5"              |                      |                      |                    |                  |                    |
|                                  | 14"                | 14"                  | 14"                  |                    |                  |                    |
|                                  | 14.5"              | 14.5"                | 14.5"                |                    |                  |                    |
|                                  | 15"                | 15"                  | 15"                  | 15"                |                  |                    |
|                                  | 15.5"              | 15.5"                | 15.5"                | 15.5"              |                  |                    |
|                                  | 16"                | 16"                  | 16"                  |                    |                  | 16"                |
|                                  |                    | 18.5"                | 18.5"                | 18.5"              | 18.5"            | 18.5"              |
|                                  | 19"                | 19"                  | 19"                  | 19"                | 19"              | 19"                |
|                                  | 19.5"              | 19.5"                | 19.5"                | 19.5"              | 19.5"            | 19.5"              |
|                                  | 20"                | 20"                  | 20"                  | 20"                | 20"              | 20"                |
|                                  | 20.5"              | 20.5"                | 20.5"                | 20.5"              | 20.5"            | 20.5"              |
| 20"                              | 15"                | 15"                  | 15"                  | 15"                |                  |                    |
|                                  | 15.5"              | 15.5"                | 15.5"                | 15.5"              |                  |                    |
|                                  | 16"                | 16"                  | 16"                  | 16"                | 16"              | 16"                |
|                                  | 16.5"              | 16.5"                | 16.5"                | 16.5"              | 16.5"            | 16.5"              |
|                                  | 17"                | 17"                  | 17"                  | 17"                | 17"              | 17"                |
|                                  | 17.5"              | 17.5"                | 17.5"                | 17.5"              | 17.5"            | 17.5"              |
|                                  | 18"                | 18"                  | 18"                  | 18"                | 18"              | 18"                |
|                                  | 18.5" <sup>2</sup> | 18.5" <sup>2</sup>   | 18.5" <sup>2</sup>   | 18.5" <sup>2</sup> |                  |                    |
| 22"                              | 16"                | 16"                  | 16"                  | 16"                | 16"              |                    |
|                                  | 16.5"              | 16.5"                | 16.5"                | 16.5"              | 16.5"            | 16.5"              |
|                                  | 17"                | 17"                  | 17"                  | 17"                | 17"              | 17"                |
|                                  | 17.5"              | 17.5"                | 17.5"                | 17.5"              | 17.5"            | 17.5"              |
|                                  | 18"                | 18"                  | 18"                  | 18"                | 18"              | 18"                |
|                                  | 18.5"              | 18.5"                | 18.5"                | 18.5"              | 18.5"            | 18.5"              |
|                                  | 19"                | 19"                  | 19"                  | 19"                | 19"              | 19"                |
|                                  | 19.5"              | 19.5"                | 19.5"                | 19.5"              | 19.5"            |                    |
| 24"                              | 16.5" <sup>5</sup> | 16.5" <sup>1,5</sup> | 16.5" <sup>1,5</sup> |                    |                  |                    |
|                                  | 17" <sup>5</sup>   | 17" <sup>5</sup>     | 17" <sup>5</sup>     | 17" <sup>5</sup>   | 17" <sup>5</sup> | 17" <sup>5</sup>   |
|                                  | 17.5" <sup>6</sup> | 17.5" <sup>6</sup>   | 17.5" <sup>6</sup>   | 17.5"              | 17.5"            | 17.5" <sup>6</sup> |
|                                  | 18"                | 18"                  | 18"                  | 18"                | 18"              | 18"                |
|                                  | 18.5"              | 18.5"                | 18.5"                | 18.5"              | 18.5"            | 18.5"              |
|                                  | 19"                | 19"                  | 19"                  | 19"                | 19"              | 19"                |
|                                  | 19.5"              | 19.5"                | 19.5"                | 19.5"              | 19.5"            | 19.5"              |
|                                  | 20"                | 20"                  | 20"                  | 20"                | 20"              | 20" <sup>2</sup>   |

<sup>1</sup> Available only with Full Poly tire

<sup>2</sup> Not available with Full Poly tire

<sup>3</sup> Not available with Vent and Battery Tray combination

<sup>4</sup> Seat heights higher than 16.5" with 16" wheel size are not available with Vent and Battery Tray combination

<sup>5</sup> Not Available with Drum Brake

<sup>6</sup> Not Available with Drum Brake in combination with Pneumatic tires

## Casters and Rear Wheels

### One Arm Drive

One Arm Drive - Quick Release (E0958) \$1379

Available only with 24" Spoke wheels. Spoke wheel style is exclusive to OAD.  
 Not available with Vent Tray, Battery Box Holder, Self Propel Axle Plate or  
 Angle Adjustable Locking Extendable Flip Up. Standard Handrim will be  
 Aluminum Anodized. Axle is Quick Release.

Left Side Drive N/C  
 Right Side Drive N/C  
 Aluminum Drive Handrim N/C  
 Poly Coated Drive Handrim \$205

### Casters

|             |                            | Caster Size |    |    |    |    |
|-------------|----------------------------|-------------|----|----|----|----|
|             |                            | Price       | 5" | 6" | 7" | 8" |
| Caster Type | 1" Poly                    | N/C         |    |    |    |    |
|             | 1" Poly Aluminum           | \$118       |    |    |    |    |
|             | 1" Pneumatic               | \$118       |    |    |    |    |
|             | 1.5" Poly                  | \$95        |    |    |    |    |
|             | 1.5" SoFL Roll Aluminum    | \$190       |    |    |    |    |
|             | 2" Poly                    | \$97        |    |    |    |    |
|             | 2" Pneumatic w/Foam Insert | \$133       |    |    |    |    |

### Axle

No selection needed with One Arm Drive or Drum Brake

Fixed N/C  
 Quick Release N/C

### Self Propel Axle Plate

Self Propel Axle Plate \$103  
 Not available with Vent Tray or 12" or 16" wheel sizes

## Wheel Locks

### Wheel Lock

Push to Lock N/C  
 Pull to Lock N/C  
 Not available with 12" or 16" Full Poly tires  
 Attendant Foot Lock N/C  
 Combination Attendant Foot Lock with Push to Lock with Extension  
 Handles \$82  
 Available only with 12" or 16" wheel sizes. Includes Extension Handles. Push to  
 Lock only.  
 Drum Brake (E2228) \$595  
 Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available  
 with 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle  
 Plate. Axle is Quick Release.  
 Dual - Drum Brake with Push to Lock (E2228) \$702  
 Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available  
 with 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle  
 Plate. Axle is Quick Release.  
 Dual - Drum Brake with Pull to Lock (E2228) \$702  
 Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available  
 with 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle  
 Plate. Axle is Quick Release.  
 Omit Wheel Locks N/C

### Rear Wheel

No selection needed with One Arm Drive

|                 |            | Rear Wheel Size |     |     |     |     |     |
|-----------------|------------|-----------------|-----|-----|-----|-----|-----|
|                 |            | Price           | 12" | 16" | 20" | 22" | 24" |
| Rear Wheel Type | Mag        | N/C             |     |     |     |     |     |
|                 | Maxx Spoke | N/C             |     |     |     |     |     |

### Rear Tire Type

Full Poly (E2218) N/C  
 Pneumatic (E2211,E2212) N/C  
 Pneumatic with Airless Insert (E2211, E2213) \$97  
 Low Poly (E2218) N/C  
 Available only with 16" wheel size

### Handrims

Handrims not available on 12" or 16" wheel sizes. No selection needed with One Arm Drive

### Standard Handrims

Aluminum Anodized N/C  
 Plastic Coated \$103  
 Projection (8 Vertical Projections) \$349  
 Available only with full profile tires in combination with 22", 24", and 26"  
 MAXX Spoke wheels, or 22" and 24" Mag wheels  
 Omit Handrim N/C

### Handrim Options

Not available on Plastic Coated or Projection Handrims

3M Micro Grip \$67

## Armrests

| Armrest Type                                                | Length | Price |
|-------------------------------------------------------------|--------|-------|
| Height Adjustable T-Arm Tall (11.5"-15") E0973              | Desk   | \$323 |
|                                                             | Full   |       |
| Height Adjustable T-Arm (8.5"-13.5") E0973                  | Desk   | \$323 |
|                                                             | Full   |       |
| Height Adjustable T-Arm Low (6.5"-10.5") E0973 <sup>1</sup> | Desk   | \$323 |
|                                                             | Full   |       |

<sup>1</sup> If requested configuration is unavailable, Standard Height T-Arm will be used. Not available with 14" depth and offset hangers.

<sup>2</sup> Not available with IV Pole

<sup>3</sup> Not available with Dynamic Back

<sup>4</sup> Minimum armrest height with Reclining Backrest is 12"

| Armrest Type                                                     | Length | Price |
|------------------------------------------------------------------|--------|-------|
| Height Adj. Dual Post Flip Back (9.5"-14.5") E0973 <sup>2</sup>  | Desk   | \$320 |
|                                                                  | Full   |       |
| Angle Adjustable Locking Extendable Flip Up E0973 <sup>3,4</sup> | Desk   | \$297 |
|                                                                  | Full   |       |
| Omit Armrests                                                    |        | N/C   |

## Arm Pads

|                                                                         |      |
|-------------------------------------------------------------------------|------|
| Standard Arm Pad                                                        | N/C  |
| Waterfall Arm Pad                                                       | \$26 |
| Not available with Angle Adjustable Locking Extendable Flip Up Armrests |      |
| Foam Grip                                                               | N/C  |
| Available only with Angle Adjustable Locking Extendable Flip Up Armrest |      |

## Accessories

### Removable Side Guard

|                                                          |       |
|----------------------------------------------------------|-------|
| Composite Side Guards (K0108)                            | \$149 |
| Not available with T-Arm or Dual Post Flip Back Armrests |       |

### Anti-tips

|                                               |       |
|-----------------------------------------------|-------|
| Rear Anti-Tips (E0971)                        | \$158 |
| Required with Reclining Backrest or Vent Tray |       |
| Omit                                          | N/C   |

### Pelvic Positioning Belt

|                                                           |       |
|-----------------------------------------------------------|-------|
| 1 1/2" Auto Buckle Pelvic Positioning Belt (E0978)        | \$87  |
| 1 1/2" Padded Auto Buckle Pelvic Positioning Belt (E0978) | \$179 |
| 2" Airline Buckle Pelvic Positioning Belt (E0978)         | \$118 |
| Small Bodypoint Evoflex (16-24") (E0978)                  | \$200 |
| Medium Bodypoint Evoflex (19-29") (E0978)                 | \$200 |
| Large Bodypoint Evoflex (25-37") (E0978)                  | \$200 |

### Belt Mounting Kit

|                                    |      |
|------------------------------------|------|
| Ki Mobility Belt Mounting Brackets | \$51 |
| Belt Mounting Band Clamp           | \$36 |

### U.S. Military Service Patches


|                                |                 |                              |           |       |
|--------------------------------|-----------------|------------------------------|-----------|-------|
| Army                           | Navy            | Marines                      | Air Force |       |
| Coast Guard                    | US Purple Heart |                              |           | \$92  |
| Combo Army/Purple Heart        |                 | Combo Navy/Purple Heart      |           |       |
| Combo Marines/Purple Heart     |                 | Combo Air Force/Purple Heart |           |       |
| Combo Coast Guard/Purple Heart |                 |                              |           | \$149 |

### O2 Holder

|                                                       |       |
|-------------------------------------------------------|-------|
| O2 Holder (E2208)                                     | \$179 |
| Not available with Reclining Backrest or Dynamic Back |       |

### Other Accessories

|                                                |       |
|------------------------------------------------|-------|
| Tool Kit                                       | \$62  |
| Removable Underseat Pouch                      | \$56  |
| Ki Mobility Backpack                           | \$72  |
| Black Neoprene Impact Guards                   | \$97  |
| Tilt Stop (Pair) (K0108)                       | \$31  |
| Included with Offset Hanger                    |       |
| IV Pole                                        | \$292 |
| Canopy with Hardware (K0108)                   | \$297 |
| Not available on frame widths greater than 18" |       |





Phone (800) 981-1540 | Fax (715) 254-0996  
sales@kimobility.com | www.kimobility.com

Frame Color

| Gloss Finish    |     | Matte Finish        |     |
|-----------------|-----|---------------------|-----|
| Black           | N/C | Military Green      | N/C |
| Blue Skies      | N/C | Charcoal Gray       | N/C |
| Bubblegum Pink  | N/C | Emerald Green       | N/C |
| Candy Blue      | N/C | Iridescent Burgundy | N/C |
| Candy Purple    | N/C | Iridescent Navy     | N/C |
| Candy Red       | N/C | Retro Red           | N/C |
| Copper          | N/C | Royal Blue          | N/C |
| Granny Smith    | N/C | Shadow Black        | N/C |
| Metallic Orange | N/C | Smooth White        | N/C |
| Yellow          | N/C |                     |     |