This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



Company:			Ship To:			
Account Number:	Date:		Address:			
Quote: PO Number:			City:		State:	
ATP:			Zip:	Phone:		
Marked For:			Email/Fax:			
Associated Quote/Order#:						Effective: 4/1/2024
Flip - Rigid Base - Transit Included (E1233,	,E1161)\$32	265				

Flip - Rigid Base - Transit Not Included (E1233,E1161)	\$3019
Flip - Folding Base - Transit Included (E1234, E1161)	\$3424
Flip - Folding Base - Transit Not Included (E1234,E1161)	\$3178
165 lb weight capacity Tilt range: 0° - 45° Maximum Seat Width of 18"	

Frame

Frame Width Select box corresponding to desired Frame Width.										
Frame Width										
10" 11" 12" 13" 14" 15" 16" 17" 18"										
	e Deptl		13"	14"	12.	10	1/*	18		

Select Frame Depth within desired Frame Depth Range.

Frame Depth Range	Frame Depth										
Short (12" - 16")	12" N/C	13" N/C	14" N/C	15" N/C	16" N/C						
Medium (14" - 18")	14" N/C	15" N/C	16" N/C	17" N/C	18" N/C						
Long (16" - 20")	16" N/C	17" N/C	18" N/C	19" N/C	20" (E2203) \$646						

Backrest

Back Post / Height Range / Back Height	
Stroller Handle Back Post (Short 20")	N/C
Stroller Handle Back Post (Tall 24")	N/C
Fixed Height Back with Adjustable Handle (Short 22") Not available with Dynamic Back.	N/C
Fixed Height Back with Adjustable Handle (Tall 26") Not available with Dynamic Back.	N/C
Reclining Back with Adjustable Handle (Short 22") (Non-Folding) (E1225)	\$943
Not available with Dynamic Back or Rigidizer Bar. Available only with Attendant Foot Lock. Minimum Seat Height of 15" with 12" Mag wheel and 16" with 16" Mag wheel.	
Reclining Back with Adjustable Handle (Tall 26") (Non-Folding) (E1225)	\$943
Not available with Dynamic Back or Rigidizer Bar. Available only with Attendant Foot Lock. Minimum Seat Height of 15" with 12" Mag wheel and 16" with 16" Mag wheel.	
Adjustable Height Back with Adjustable Handle (Short 18" - 25") Not available with Dynamic Back.	N/C
Adjustable Height Back with Adjustable Handle (Tall 20" - 27") 20"-22" Heights not available with Dynamic Back.	N/C

Transit Option	
Transit System No charge when selected with Base Options with Transit Included	\$246
Omit Transit	N/C
Offset Hanger Option	
Offset Hanger Available only with Rigid Base.	\$35
Tilt Mechanism	
Hand Tilt	N/C
Foot Tilt	N/C
Seat Pan	
Growing Solid Seat Pan (E2231)	\$231
Omit Seat Pan	N/C

Adjustable Hei	ght Back Post H	leight				
18" Back Height 22" Back Height 26" Back Height	nt 23" Back Height 24" Back Height 25" Back Height 25" Back Height 27" Back Height 25" Back He					
Stroller Handle	Back Post Opt	ion				
Available only with Strolle	er Handle Back Post.					
Removable Strolle	er Handle Extension		\$97			
Other Backrest	Options					
Non Folding Back Standard with Dyn			N/C			
Dynamic Back (No	on-Folding) (E2398)		\$1395			
Adjustable Height	Rigidizer Bar		\$82			

HCPCS Codes provided are based on code verification by the PDAC or our interpretation of the code definitions. Proper use of HCPCS Codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy. DCN129.24 Pricing and specifications subject to change without notice.





Footrest

Footrest Hanger Type				
Hanger	70°	80°	90°	Retail
Extension Tube Mount		1		N/C
Front Mount		1	1	N/C
Pro Elevating Leg Rests E0990				\$318
Pediatric Pro Elevating Leg Rests E0990 ²				\$318
Omit Hangers				(\$20)

PRO	ELR	Cover

Hanger Extension Tubes Available only with Front Mount Hangers.	
Gel Pad Covers (PAIR)	\$440
Available only on PRO ELR.	

3" Extension	\$56
3" Extension (Provided as Parts)	\$56

1 Not available with 8" casters

2 Not available with Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hangers

Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hanger measurements based on 70° Hanger Bend.

Extension		Seat to Footrest Length										
Short (10" - 13.5")	10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"				
Medium (11.5" - 15.5")	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"			
Long (14" - 18")	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"			
				Star	dard Selecti	ions				Requires	3" Extensio	n for \$55
Chart Frank Marut Hannau	4" ⁵	4.5" ⁵	5"	5.5"	6"					8.5"	9"	9.5"
Short Front Mount Hanger	6.5"	7"	7.5"	8"						10"	10.5"	11"
	4" ⁵	4.5" ⁵	5"	5.5"	6"	6.5"	7"			10.5"	11"	11.5"
Medium Front Mount Hanger	7.5"	8"	8.5"	9"	9.5"	10"				12"	12.5"	13"
Long Front Mount Hanger	5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"		12.5"	13"	13.5"
	9"	9.5"	10"	10.5"	11"	11.5"	12"			14"	14.5"	15"
Low Pivot Setting	6" ³	6.5" ³	7" ³	7.5" ³		8.5"	9"	9.5"	10"	10.5"	11"	11.5"
High Pivot Setting	6" ³	6.5" ³	7" ³	7.5" ³	8" ³	8.5"	9"	9.5"	10"			
PRO ELR Low Pivot Setting Short (10.5" - 15.5")	10.5"	- 15.5"										
PRO ELR Low Pivot Setting Long (13" - 19")	13" - 19"											
PRO ELR High Pivot Setting Short (8.5" - 17")	8.5"	- 17"										
PRO ELR High Pivot Setting Long (11.5" - 17.5")	11.5"	- 17.5"										
	Short (10" - 13.5") Medium (11.5" - 15.5") Long (14" - 18") Short Front Mount Hanger Medium Front Mount Hanger Long Front Mount Hanger Low Pivot Setting High Pivot Setting PRO ELR Low Pivot Setting Short (10.5" - 15.5") PRO ELR Low Pivot Setting Long (13" - 19") PRO ELR High Pivot Setting Short (8.5" - 17") PRO ELR High Pivot Setting Long	Short (10" - 13.5") 10" Medium (11.5" - 15.5") 11.5" Long (14" - 18") 14" Short Front Mount Hanger $4"^{5}$ Short Front Mount Hanger $4"^{5}$ Medium Front Mount Hanger $5"$ Long Front Mount Hanger $9"$ Low Pivot Setting $6"^{3}$ High Pivot Setting $6"^{3}$ PRO ELR Low Pivot Setting Short (10.5" - 15.5") 10.5" PRO FLR Low Pivot Setting Long (13" - 19") 13" PRO ELR High Pivot Setting Short (8.5" - 17") 8.5"	Short (10" - 13.5") 10" 10.5" Medium (11.5" - 15.5") 11.5" 12" Long (14" - 18") 14" 14.5" Medium (11.5" - 15.5") 14" 14.5" Short Front Mount Hanger $4"$ ⁵ $4.5"$ ⁵ Short Front Mount Hanger $4"$ ⁵ $4.5"$ ⁵ Medium Front Mount Hanger $5"$ $5.5"$ Long Front Mount Hanger $9"$ $9.5"$ Low Pivot Setting $6"$ ³ $6.5"$ ³ High Pivot Setting $6"$ ³ $6.5"$ ³ PRO ELR Low Pivot Setting Short (10.5" - 15.5") $10.5" - 15.5"$ PRO ELR High Pivot Setting Short (8.5" - 17") $8.5" - 17"$ PRO ELR High Pivot Setting Short (8.5" - 17") $8.5" - 17"$	$\begin{array}{c c c c c c c } Short (10" - 13.5") & 10" & 10.5" & 11" \\ \hline Medium (11.5" - 15.5") & 11.5" & 12" & 12.5" \\ \hline Long (14" - 18") & 14" & 14.5" & 15" \\ \hline \\ & & & & & & & & & & & & & & \\ \hline \\ Short Front Mount Hanger & & & & & & & & & & & & \\ \hline & & & & & &$	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Short (10" - 13.5") 10" 10.5" 11" 11.5" 12" 12.5" 13" Medium (11.5" - 15.5") 11.5" 12" 12.5" 13" 13.5" 14" 14.5" Long (14" - 18") 14" 14.5" 15" 15.5" 16" 16.5" 17" Standard Selections Standard Selections Short Front Mount Hanger 4" 5 4.5" 5 5" 5.5" 6" 6.5" 7" Medium Front Mount Hanger 4" 5 4.5" 5 5" 5.5" 6" 6.5" 7" Long Front Mount Hanger 5" 5.5" 6" 6.5" 7" 7.5" 8" Long Front Mount Hanger 6" 3 6.5" 3 7" 3 7.5" 3 8" 4 8.5" 9" Low Pivot Setting 6" 3 6.5" 3 7" 3 7.5" 3 8" 4 8.5" 9" PRO ELR Low Pivot Setting Short (10.5" - 15.5" 10.5" - 15.5" 10.5" - 15.5" 8" 3 8.5" 9" 9"	Short (10" - 13.5") 10" 10.5" 11" 11.5" 12" 12.5" 13" 13.5" Medium (11.5" - 15.5") 11.5" 12" 12.5" 13" 13.5" 14" 14.5" 15" Long (14" - 18") 14" 14.5" 15" 15.5" 16" 16.5" 17" 17.5" Standard Selections Short Front Mount Hanger 4" 5 4.5" 5 5.5" 6" 6.5" 7" 7.5" 8" Medium Front Mount Hanger 4" 5 4.5" 5 5.5" 6" 6.5" 7" 7.5" 8" 8.5" Long Front Mount Hanger 5" 5.5.5" 6" 6.5" 7" 7.5" 8" 8.5" Long Front Mount Hanger 6" 5.5.5" 6" 6.5" 7" 7.5" 8" 8.5" Long Front Mount Hanger 6" 5.5.5" 6" 6.5" 7" 7.5" 8" 8.5" Long Front Mount Hanger 6" 5.5.5" 6" 6.5" 7" 7.5" 8" 8.5" 9"	Short (10" - 13.5") 10" 10.5" 11" 11.5" 12" 12.5" 13" 13.5" 13.5" Medium (11.5" - 15.5") 11.5" 12" 12.5" 13" 13.5" 14" 14.5" 15" 15.5" Long (14" - 18") 14" 14.5" 15.5" 16" 16.5" 17" 17.5" 18" Standard Selectors Standard Selectors Medium Front Mount Hanger 4" 5 4.5" 5" 6" 6.5" 7" 7.5" 8" Medium Front Mount Hanger 4" 5 4.5" 5" 5.5" 6" 6.5" 7" 7.5" 8" 8.5" 7" 7.5" 8" 8.5" 7" 7.5" 8" 8.5" 10" 10" 10.5" 10"	Short (10" - 13.5") 10" 10.5" 11" 11.5" 12" 12.5" 13" 13.5" III-" III-"	Short (10 [°] - 13.5 [°]) 10 [°] 10.5 [°] 11 [°] 11.5 [°] 12 [°] 12.5 [°] 13 [°] 13.5 [°] Medium (11.5 [°] - 15.5 [°]) 11.5 [°] 12 [°] 12.5 [°] 13 [°] 14 [°] 14.5 [°] 15.5 [°] 15.5 [°] 14 [°] 14.5 [°] 15.5 [°] 15.5 [°] 16 [°] 16.5 [°] 17 [°] 17.5 [°] 18 [°] I.5.5 [°] 6 [°] 6 [°] 17 [°] 17 [°] 18 [°] I.5.5 [°] 9 [°] Short Front Mount Hanger 4 [°] / ₅ 4.5 [°] / ₅ 5 [°] 5.5 [°] 6 [°] 6.5 [°] 7 [°] 10 [°] 11 [°] 10 [°] 11 [°] 10.5 [°] 11 [°] 10 [°] 10 [°] 10 [°] 10 [°] 11 [°] 10 [°]

2 Comes standard with 3" Extension

3 Not available on chairs 14" wide or more 4 Not available on chairs 15" wide or more

5 Available only with 90° Front Mount Hangers

Minimum Front Seat Height with Front Mount Hangers								
Hanger Length	Short		Medium	ı	Long			
Hanger Bend	70°	80/90°	70°	80/90°	70°	80°		
Minimum Front Seat Height with Standard Selection	13"	13"	13"	13.5"	14.5"	15.5"		
Minimum Front Seat Height with 3" Extension	13.5"	14"	15.5"	16"	17"	18"		



Footplates

Composite

Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

No selection needed with Contracture Footrest.

Composite Angle Adjustable (K0040)

14" Frame Widths require Offset Hanger Aluminum Angle Adjustable (K0040)

Available only with Front Mount Hanger.

Aluminum Locking Multi-Angle Adjustable (K0108)



N/C

\$195

\$210

\$318

Not available with One Piece Flip Up Angle Adjustable Footplate.	
Heel Loops (E0951)	\$41
Not available with Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hangers.	
Adjustable Heel Loops (E0951)	\$56
Omit Heel Loops	N/C

Calf Straps

Velcro Adjustable (K0038)	\$46
Padded Velcro Adjustable (K0038)	\$72
Bodypoint Padded AeroMesh (K0038)	\$128

Hanger Release

No selection needed with Contracture Footrest. If no selection is made 4-Way - In line will be used. Classic______N/C 4-Way - In-Line_____N/C

Not available with Front Mount Hanger, Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hanger.

Not available with Front Mount Hanger or 10"-12" Frame Widths. 13" and

Allows chair to be folded without removing footrest hanger. Not available with PRO ELR or Peds PRO ELR. 4-Way - Out N/C

Not available with PRO ELR or Peds PRO ELR.

Residual Limb Support

	Limb Support	Price	Omit	Cov	/er	Pad Size					
Left	Left Limb Support (E1020)	\$431	Omit Left Hanger	Smooth Cover Left	Air Mesh Cover Left	5X8 Pad Left Side	7X10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side	11x14 Pad Left Side
Right	Right Limb Support (E1020)	\$431	Omit Right Hanger	Smooth Cover Right	Air Mesh Cover Right	5X8 Pad Right Side	7X10 Pad Right Side	9x10 Pad Right Side	9x14 Pad Right Side	11x10 Pad Right Side	11x14 Pad Right Side





Seat Height, Casters, and Rear Wheels

Rear			Caster Size			Rear			Caster Size		
Wheel	5"	6"	6" x 2"	7"	8"	Wheel	5"	6"	6" x 2"	7"	8"
Size			Seat Height			Size			Seat Height		
	13.5"						15"	15"	15"		
	14"	14" ⁴	14" ⁴				15.5"	15.5"	15.5"	15.5"	
	14.5"	14.5"	14.5"				16"	16"	16"	16"	16"
12" with Pneumatic or	15"	15"	15"	15" ⁴		Ē	16.5"	16.5"	16.5"	16.5"	16.5"
Pneumatic with Airless Insert Tire	15.5"	15.5"	15.5"	15.5"		16" with Drum Brake	17"	17"	17"	17"	17"
	16"	16"	16"	16"			17.5"	17.5"	17.5"	17.5"	17.5"
	16.5"	16.5"	16.5"	16.5"	16.5"		18"	18"	18"	18"	18"
	17"	17"	17"	17" ³	17" ³		18.5" ⁴	18.5"	18.5" ⁴	18.5" ⁴	18.5"
	17.5"	17.5"	17.5"	17.5"	17.5"	Ē	19"	19"	19"	19"	19"
	13.5"						17"	17"	17"	17"	17"
	14"						17.5"	17.5"	17.5"	17.5"	17.5"
	14.5"	14.5"	14.5"			20" with Pneumatic,	18"	18"	18"	18"	18"
12" with Full Poly Tire	15"	15"	15"			Pneumatic with Airless Insert, Low Poly, Full	18.5"	18.5"	18.5"	18.5"	18.5"
	15.5"	15.5"	15.5"	15.5"		Poly Tire Or Drum Brake	19"	19"	19"	19"	19"
	16"	16"	16"	16"	16" 4		19.5"	19.5"	19.5"	19.5"	19.5"
	16.5"	16.5"	16.5"	16.5"	16.5"		20" 4	20" 4	20" 4	20"	20"
	17"	17"	17"	17" ³	17" ³		15.5" ¹⁰	15.5" ¹⁰	15.5" ¹⁰	15.5" ¹⁰	
	17.5"						16" ¹⁰	16" ¹⁰	16" ¹⁰	16" ¹⁰	16" ¹
	18"						16.5" ¹⁰	16.5" ¹⁰	16.5" ¹⁰	16.5" ¹⁰	16.5"
	13.5"					20" Self Propel or Self Propel with Drum Brake	17"	17"	17"	17"	17"
-	14"	14" ⁴	14" 4				17.5"	17.5"	17.5"	17.5"	17.5"
-	14.5"	14.5"	14.5"				18"	18"	18"	18"	18"
	15"	15"	15"	15" ⁴			18.5" ⁴	18.5"	18.5"	18.5" 4	18.5"
12" with Drum Brake	15.5"	15.5"	15.5"	15.5"			16.5" ¹⁰	16.5" ¹⁰	16.5" ¹⁰	16.5" ¹⁰	16.5"
	16"	16"	16"	16"	16" ⁴		17" ¹⁰	17" ¹⁰	17" ¹⁰	17" ¹⁰	17" ¹
-	16.5"	16.5"	16.5"	16.5"	16.5"		17.5" ¹⁰	17.5" ¹⁰	17.5" ¹⁰	17.5" ¹⁰	17.5"
-	17"	17"	17"	17"	17"	22" Self Propel or Self Propel with Drum Brake	18"	18"	18"	18"	18"
-	17.5"	17.5"	17.5"	17.5"	17.5"		18.5"	18.5"	18.5"	18.5"	18.5"
	15"	15"	15"	15" ⁴			19"	19"	19"	19"	19"
	15.5"	15.5"	15.5"	15.5"			19.5" ⁴	19.5" ²	19.5" ⁴	19.5" ⁴	
	16"	16"	16"	16"			17"	17"	17"	17"	17"
	16.5"	16.5"	16.5"	16.5"	16.5"		17.5"	17.5"	17.5"	17.5"	17.5"
16" with Pneumatic,	17"	17"	17"	17"	17"	Ē	18"	18"	18"	18"	18"
Pneumatic with Airless Insert or Full Poly Tire	17.5"	17.5"	17.5"	17.5"	17.5"	24" Self Propel ¹	18.5"	18.5"	18.5"	18.5"	18.5"
	18"	18"	18"	18"	18"		19"	19"	19"	19"	19"
	18.5" ⁴	18.5"	18.5"	18.5"	18.5"		19.5" ^{7,8}	19.5"	19.5"	19.5" ⁹	19.5"
	19"	19"	19"	19"	19"		20" ⁵	20" ⁶	20" ⁶	20"	20"
		19.5" ²	19.5" ⁴	19.5" ⁴			18.5" ^{4,11}	18.5" ¹¹	18.5" ¹¹	18.5" ¹¹	18.5"
	14"	14" 4	14" 4			24" Self Propel with 1	19"	19"	19"	19"	19"
	14.5"	14.5"	14.5"			Drum Brake	19.5" ¹¹	19.5" ^{9,12}	19.5" ^{9,12}	19.5" ^{9,12}	19.5"
	15"	15"	15"				20" 4	20" ⁶	20"	20"	20"
	15.5"	15.5"	15.5"	15.5"		5 Not available in combin					
16" With Low Poly Tire	16"	16"	16"	16"		6 Not available in combin 7 Not available in combin					Depth
-	16.5"	16.5"	16.5"	16.5"	16.5"	8 Not available in combin					me Dept
-	17"	17"	17"	17"	17"	9 17-20" Frame Depth re	quires spoke v				
	17.5"	17.5"	17.5"	17.5"	17.5"	10 Not available with Dru 11 Available only with Fu					
-	18"	18"	18"	18"	18"	12" Frame Depth requires			. Aliva		

1 Self Propel Axle Plate selections limit tilt range 2 Not available with 12" Frame Depth

3 Not available with 12-16" Frame Depth

4 Not available with 17-20" Frame Depth



Casters

Cas						
			Ca	aster Siz	e	
		Price	5"	6"	7"	8"
	.75" Lighted Rollerblade	\$77				
	1" Poly	N/C				
ype	1" Poly Aluminum	\$118				
Caster Type	1" Pneumatic	\$92				
Cast	1.5" Poly	\$97				
	1.5" Soft Roll Aluminum	\$190				
	2" Poly	\$97				

Axles

No selection needed with Drum Brake.

Fixed	N/C
Not available with Folding Base Frame and Standard Wheel Locks.	
Quick Release	N/C

Axle Plates

Standard	N/C
Self Propel Axle Plate	N/C

Wheels

				Rear W	neel Size				
			12"	16"	20"	22"	24"		
e l	Mag	N/C							
Rear Whee Type	Colored Mag ¹	\$108							
α > μ	MAXX Spoke	\$205							

1 Mag color selection is on page 6.

Rear Tire Type	
Low Poly (E2218)	N/C
Available only with 16" wheel size.	
Full Poly (E2218)	N/C
Pneumatic (E2211,E2212)	\$92
Pneumatic with Airless Insert (E2211, E2213)	\$97

Handrims

F

Handrims not available on 12" or 16" wheel sizes.	
Aluminum Anodized	N/C
Plastic Coated	\$123
Projection (8 Vertical Projections)	\$349
Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels	
Omit Handrim	N/C
Use data Oction	

Handrim Option

Not available on Plastic Co	pated or Projection Handrims.	
3M Micro Grip		

Wheel Locks

Wheel Lock

Rear wheels must be removed to fold chair with Push to Lock, Pull to Lock and Dual whe selections	eel lock
Push to Lock	N/C
Pull to Lock	N/C
Not available with 12" or 16" Full Poly tires.	
Attendant Foot Lock	N/C
Available only with 12" and 16" Mag wheels.	
Drum Brake (E2228)	\$595
Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire or Reclining Backrest. Axle is Quick Release.	
Dual - Attendant Foot Lock with Push to Lock	\$82
Available only with 12" and 16" Mag wheels	
Dual - Attendant Foot Lock with Pull to Lock	\$82
Available only with 12" and 16" Mag wheels.	
Dual - Drum Brake with Push to Lock (E2228)	\$702
Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire or Reclining Backrest. Axle is Quick Release.	
Dual - Drum Brake with Pull to Lock (E2228)	\$702
Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire or Reclining Backrest. Axle is Quick Release.	
Omit	N/C

Wheel Lock Option

Extension Handles (E0961) \$82 Available only with Push to Lock or Pull to Lock Wheel Locks.

\$67





Armrests

Armrest Type	Length	Price	
Height Adjustable Pediatric E0973 1 ¹	Desk(6.5"-9")		\$195
	Desk Tall(8"-10.5")		φ17J
	Desk		\$323
Height Adjustable T-Arm Tall (11.5"-15") E0973	Full	⊅ 3∠3	
Height Adjustable T-Arm (8.5"-13.5") E0973 2 ²	Desk	\$323	
Height Adjustable 1-Arm (6.5 -13.5) E0973 2 2	Full		⊅ 3∠3
Height Adjustable T-Arm Low (6.5"-10.5") E0973 ^{2.3}	Desk		\$323
Height Adjustable 1-Arm LOW (6.5°-10.5°) E09732.0	Full		⊅3Z3

1 Best fit with Frame Depths less than 14".

2 Not available with 12" Frame Depth

3 If requested configuration is unavailable, Standard Height T-Arm will be used

4 Not available with Dynamic Back. Available only with 12" and 16" Rear Wheels. 5 Not available with Dynamic Back, Reclining Back or Arm Pads

Accessories

Removable Side Guards	
Not available with Height Adjustable Armrests.	
Adult Composite Side Guards (14" - 16") (K0108) Pediatric Composite Side Guard (10" - 14") (K0108)	\$149 \$149
Anti-Tips	
Rear Anti-Tips (E0971) Omit	\$165 N/C
Pelvic Positioning Belts	
1" Auto Buckle Pelvic Positioning Belt (E0978) 1" Padded Auto Buckle Pelvic Positioning Belt (E0978) 1 1/2" Auto Buckle Pelvic Positioning Belt (E0978) 1 1/2" Padded Auto Buckle Pelvic Positioning Belt (E0978) 2" Airline Buckle Pelvic Positioning Belt (E0978) Small Bodypoint Evoflex (16-24") (E0978) Medium Bodypoint Evoflex (19-29") (E0978) Large Bodypoint Evoflex (25-37") (E0978)	\$87 \$179 \$87 \$179 \$118 \$200 \$200 \$200

Belt Mounting Kit

Belt Mounting Band Clamp	\$36
Seat Belt Mounting Hardware	\$31

Armrest Type	Len	Price	
Angle Adjustable Locking Extendable Flip Up E0973 ⁴	Desk		\$297
Aligie Adjustable Locking Extendable Flip Op E0973	Full		φ 2 77
Tubular Flip Up 5			N/C
Omit Armrests			N/C

Arm Pads


Standard Arm Pad	N/C
Waterfall Arm Pad	\$26
Not available with Angle Adjustable Locking Extendable Flip Up Armrest.	
Foam Grip	N/C
Available only with Angle Adjustable Locking Extendable Flip Up Armrest.	

Spoke Guards

Clear Spoke Guards (K0065)Not available with Mag wheel.	
Black Spoke Guards (K0065) Available only with 22" and 24" Spoke whee	ls.
Blue Monster Spoke Guards (K0065) ¹	
Robo Fun Spoke Guards (K0065) ¹	
Tutu Cute Spoke Guards (K0065) ¹	
Tuxedo Time Spoke Guards (K0065) ¹	\$123

1 Available only with 20" and 22" wheel sizes. Not available with Mag wheel.

Other Accesories	
Tool Kit	\$62
Removable Underseat Pouch	\$62
Pediatric Ki Mobility Backpack	\$72
Ki Mobility Backpack	\$72
Black Neoprene Impact Guards	\$97
Tilt Stop Posterior (Pair) (K0108)	\$31
Tilt Stop Anterior (Pair) (K0108) Available only with Rigid Base.	\$31
IV Pole	\$292
Canopy with Hardware (K0108) See Image below	\$302





This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



Color

·			Colors																			
						Gloss								Matte								
Options	Price	Black	Blue Skies	Bubblegum Pink	Candy Blue	Candy Purple	Candy Red	Copper	Granny Smith	Metallic Orange	Silver	Teal	Yellow	Charcoal Gray	Emerald Green	Iridescent Burgundy	Iridescent Navy	Military Green	Retro Red	Royal Blue	Shadow Black	Smooth White
Frame	N/C																					
Accent	N/C																					
Mag Colo	r																					