



| Company: | | | Ship To: | | | |
|---|---|--------------------------|------------|--------|--------|----------------------|
| Account Number: | Date: | | Address: | | | |
| Quote: PO Number: | | | City: | | State: | |
| ATP: | | | Zip: | Phone: | | |
| Marked For: | | | Email/Fax: | | | |
| Associated Quote/Order#: | | | | | | Effective: 1/10/2024 |
| Flip XPe - Rigid Base - Transit Included (E1: Flip XPe- Rigid Base - Transit Not Included Flip XPe- Folding Base - Transit Included (E Flip XPe- Folding Base - Transit Not Included 165 lb weight capacity Tilt range: 0° - 45° Ma | (E1233,E1161) \$28 E1234, E1161) \$32 ed (E1234,E1161) \$29 | 060 814 219 973 | | | | |

Frame

| Fram | e Widtl | h | | | | | | Transit Option | |
|------------|-------------------------------|--------------|---------------------|---------------------------------|------------|------------|------------------|--|-------|
| Select box | correspond | ding to des | ired Frame \ Fra | Width . me Width | | | | Transit System No charge when selected with Base Options with Transit Included. | \$246 |
| 10" | 11" | 12" | 13" | 14" | 15" 1 | 6" 17" | 18" | Omit Transit | N/C |
| Fram | e Deptl | h | | | | | | Offset Hanger | |
| Select Fra | me Depth v | vithin desii | ed Frame D | epth Range | | | | Offset Hanger | \$35 |
| Fran | Frame Depth Range Frame Depth | | | Available only with Rigid Base. | | | | | |
| Short (| (12" - 16") | | 12" N/C | 13" N/C | 14" N/C | 15" N/C | 16" N/C | Tilt Mechanism | |
| Mediu | m (14" - 18" |) | 14" N/C | 15" N/C | 16" N/C | 17" N/C | 18" N/C | Hand Tilt | N/C |
| | | | | | | | 20" | Foot Tilt | N/C |
| Long (| 16" - 20") | | 16" N/C | 17" N/C | 18" N/C | 19" N/C | (E2203) \$646 | Seat Options | |
| | | | | | | | | Growing Solid Seat Pan (E2231) | \$231 |

Omit Seat Pan

Backrest

| Dool: Doot / Hoight Dones / Dool: Hoight | | A 12 / 11 11 1 | L D L D () | | | | |
|--|-------|-------------------------------------|------------------------|--------------------------|-----------------|--|--|
| Back Post / Height Range / Back Height | | Adjustable Height Back Post Height | | | | | |
| Stroller Handle Back Post (Short 20") | N/C | 18" Back Height | 19" Back Height | 20" Back Height | 21" Back Height | | |
| Stroller Handle Back Post (Tall 24") | N/C | 22" Back Height | 23" Back Height | 24" Back Height | 25" Back Height | | |
| Fixed Height Back with Adjustable Handle (Short 22") Not available with Dynamic Back | N/C | 26" Back Height | 27" Back Height | | N/C | | |
| Fixed Height Back with Adjustable Handle (Tall 26") Not available with Dynamic Back | N/C | Stroller Handle | Back Post Opt | ion | | | |
| Reclining Back with Adjustable Handle (Short 22") (Non-Folding) | | Available only with Stroller | r Handle Back Post. | | | | |
| (E1225) | \$943 | Removable Stroller Handle Extension | | | | | |
| Not available with Dynamic Back or Rigidizer Bar. Available only with | | | | | | | |
| Attendant Foot Lock. Minimum Seat Height of 15" with 12" Mag wheel and 16" with 16" Mag wheel. | | Other Backrest | Options | | | | |
| Reclining Back with Adjustable Handle (Tall 26") (Non-Folding) | | Non Folding Back | | | N/C | | |
| (E1225) | \$943 | Standard with Dyna | amic Back | | | | |
| Not available with Dynamic Back or Rigidizer Bar. Available only with | | Dynamic Back (E23 | 398) | | \$2045 | | |
| Attendant Foot Lock. Minimum Seat Height of 15" with 12" Mag wheel and 16" with 16" Mag wheel. | | Not available with F | Flip Up Armrests. Avai | lable only with Non Fold | ling Back. | | |
| Adjustable Height Back with Adjustable Handle (Short 18" - 25") | N/C | Adjustable Height I | Rigidizer Bar | | \$82 | | |
| Not available with Dynamic Back | 1\/_C | | | | | | |
| Adjustable Height Back with Adjustable Handle (Tall 20" - 27") | N/C | | | | | | |

HCPCS codes provided are based on code verification by the PDAC or our interpretation of the code definitions.

Proper use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

20"-22" Heights not available with Dynamic Back

N/C





Footrest

| Hanger / Front Frame Bend | | | | | | | | |
|--|-----|-----|-----|--|--------|--|--|--|
| Hanger | 70° | 80° | 90° | | Retail | | | |
| Extension Tube Mount | | 1 | | | N/C | | | |
| Front Mount | | 1 | 1 | | N/C | | | |
| Pro Elevating Leg Rests E0990 | | | | | \$318 | | | |
| Pediatric Pro Elevating Leg Rests E0990 ² | | | | | \$318 | | | |
| Omit Hangers | | | | | (\$20) | | | |

| PRO ELR Cover | |
|--|-------|
| Available only on PRO ELR. | |
| Gel Pad Covers (PAIR) | \$440 |
| Hanger Extension Tubes | |
| Available only with Front Mount Hangers. | |
| 3" Extension | \$56 |
| 3" Extension (Provided as Parts) | \$56 |

Seat to Footrest Length

Select Seat to Footrest Length in row corresponding to desired Footrest and Extension. Footrest Length of at least 2.5" shorter than Front Seat

| Footrest | Extension | | | | | Se | eat to Foot | rest Lengt | :h | | | | |
|----------------------------------|--|-----------------|-------------------|-----------------|-------------------|-----------------|-------------|------------|-------|-------|-------------|-------------|---------|
| | Short (10" - 13.5") | 10" | 10.5" | 11" | 11.5" | 12" | 12.5" | 13" | 13.5" | | | | |
| Extension Tube Hangers (70°,80°) | Medium (11.5" - 15.5") | 11.5" | 12" | 12.5" | 13" | 13.5" | 14" | 14.5" | 15" | 15.5" | | | |
| , | Long (14" - 18") | 14" | 14.5" | 15" | 15.5" | 16" | 16.5" | 17" | 17.5" | 18" | | | |
| | | Standard Se | lections | | | | | | | | Requires 3" | Extension f | or \$55 |
| | Charles and American | 4" ⁵ | 4.5" ⁵ | 5" | 5.5" | 6" | | | | | 8.5" | 9" | 9.5" |
| Front Mount Hangers 1 1 | Short Front Mount Hanger | 6.5" | 7" | 7.5" | 8" | | | | | | 10" | 10.5" | 11" |
| | Medium Front Mount Hanger | 4" ⁵ | 4.5" ⁵ | 5" | 5.5" | 6" | 6.5" | 7" | | | 10.5" | 11" | 11.5" |
| | | 7.5" | 8" | 8.5" | 9" | 9.5" | 10" | | | | 12" | 12.5" | 13" |
| | Long Front Mount Hanger | 5" | 5.5" | 6" | 6.5" | 7" | 7.5" | 8" | 8.5" | | 12.5" | 13" | 13.5" |
| | | 9" | 9.5" | 10" | 10.5" | 11" | 11.5" | 12" | | | 14" | 14.5" | 15" |
| D. J. DDG 51 D. 2 | Low Pivot Setting | 6" ³ | 6.5" ³ | 7" ³ | 7.5" ³ | 8" ⁴ | 8.5" | 9" | 9.5" | 10" | 10.5" | 11" | 11.5" |
| Peds PRO ELR 2 | High Pivot Setting | 6"3 | 6.5" ³ | 7"3 | 7.5" ³ | 8" ⁴ | 8.5" | 9" | 9.5" | 10" | | | |
| PRO ELR Low Pivot | PRO ELR Low Pivot Setting Short (10.5" - 15.5") | 10.5" - 15.5 | " | | | | | | | | | | |
| Setting | PRO ELR Low Pivot Setting Long (13" - 19") | 13" - 19" | | | | | | | | | | | |
| PRO ELR High Pivot | PRO ELR High Pivot Setting Short (8.5" - 17") | 8.5" - 17" | | | | | | | | | | | |
| Setting | PRO ELR High Pivot Setting Long (11.5" - 17.5") | 11.5" - 17.5 | | | | | | | | | | | |

- 1 See Minimum Front Seat Height chart to right
- 2 Comes standard with 3" Extension
- 3 Not available on chairs 14" wide or more
- 4 Not available on chairs 15" wide or more
- 5 Available only with 90° Front Mount Hangers

| Minimum Front Seat Height with Front Mount Hangers | | | | | | | | |
|--|-------|--------|--------|--------|-------|-------|--|--|
| Hanger Length | Short | | Medium | 1 | Long | | | |
| Hanger Bend | 70° | 80/90° | 70° | 80/90° | 70° | 80° | | |
| Minimum Front Seat Height with Standard Selection | 13" | 13" | 13" | 13.5" | 14.5" | 15.5" | | |
| Minimum Front Seat Height with 3" Extension | 13.5" | 14" | 15.5" | 16" | 17" | 18" | | |

¹ Not available with 8" casters

² Not available with Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hangers





| Footplates | |
|---|-------|
| No selection needed with Contracture Footrest. | |
| Composite | N/C |
| Not available with Front Mount Hanger, Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hanger. | |
| Composite Angle Adjustable (K0040) | \$195 |
| Not available with Front Mount Hanger or 10"-12" Frame Widths. 13" and 14" Frame Widths require Offset Hanger. | |
| Aluminum Angle Adjustable (K0040) | \$210 |
| Aluminum Locking Multi-Angle Adjustable (K0108) | \$318 |

| Heel Loops | |
|--|-------|
| Not available with One Piece Flip Up Angle Adjustable Footplate. | |
| Heel Loops (E0951) | \$41 |
| Not available with Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hangers. | |
| Adjustable Heel Loops (E0951) | \$56 |
| Omit Heel Loops | N/C |
| Calf Straps | |
| Velcro Adjustable (K0038) | \$46 |
| Padded Velcro Adjustable (K0038) | \$72 |
| Bodypoint Padded AeroMesh (K0038) | \$128 |

Hanger Release

No selection needed with Contracture Footrest. If no selection is made 4-Way - In line will be used.

Classic N/C
4-Way - In-Line N/C
Allows chair to be folded without removing footrest hanger. Not available with

PRO ELR or Peds PRO ELR.
4-Way - Out
N/C

Not available with PRO ELR or Peds PRO ELR.

Residual Limb Support

| | Limb Support | Price | Omit | Co | ver | | | Pad | Size | | |
|-------|-------------------------------|-------|----------------------|-----------------------|-------------------------|-----------------------|------------------------|------------------------|------------------------|-------------------------|-------------------------|
| Left | Left Limb Support (E1020) | \$431 | Omit Left Hanger | Smooth Cover Left | Air Mesh Cover Left | 5X8 Pad Left Side | 7X10 Pad Left Side | 9x10 Pad Left Side | 9x14 Pad Left Side | 11x10 Pad Left Side | 11x14 Pad Left Side |
| Right | Right Limb Support (E1020) | \$431 | Omit Right Hanger | Smooth Cover Right | Air Mesh Cover Right | 5X8 Pad Right Side | 7X10 Pad Right Side | 9x10 Pad Right Side | 9x14 Pad Right Side | 11x10 Pad Right Side | 11x14 Pad Right Side |





Seat Height, Casters, And Rear Wheel

| Select Seat Height corre | sponding to d | esired Rear W | | | | |
|---|------------------------|------------------|-------------|------------------|------------------|--|
| Rear | | | Caster Size | | | |
| Wheel Size | 5" | 6" | 6" x 2" | 7" | 8" | |
| 3126 | Seat Height | 1 | | | | |
| | 13.5" | | | | | |
| | 14" | 14" 4 | 14" 4 | | | |
| | 14.5" | 14.5" | 14.5" | | _ | |
| 12" with Pneumatic or | 15" | 15" | 15" | 15" ⁴ | | |
| Pneumatic with Airless nsert Tire | 15.5" | 15.5" | 15.5" | 15.5" | | |
| ilsert fire | 16" | 16" | 16" | 16" | | |
| | 16.5" | 16.5" | 16.5" | 16.5" | 16.5" | |
| | 17" | 17" | 17" | 17" ³ | 17" ³ | |
| | 17.5" | 17.5" | 17.5" | 17.5" | 17.5" | |
| | 13.5" | | | | | |
| | 14" | | | | | |
| | 14.5" | 14.5" | 14.5" | | | |
| | 15" | 15" | 15" | | | |
| 12" with Full Daly Time | 15.5" | 15.5" | 15.5" | 15.5" | | |
| 12" with Full Poly Tire | 16" | 16" | 16" | 16" | 16"4 | |
| | 16.5" | 16.5" | 16.5" | 16.5" | 16.5" | |
| | 17" | 17" | 17" | 17" ³ | 17" ³ | |
| | 17.5" | | | | | |
| | 18" | | | | | |
| | 13.5" | | | | | |
| | 14" | 14" ⁴ | 14"4 | | | |
| | 14.5" | 14.5" | 14.5" | | | |
| | 15" | 15" | 15" | 15" 4 | | |
| 12" with Drum Brake | 15.5" | 15.5" | 15.5" | 15.5" | | |
| | 16" | 16" | 16" | 16" | 16"4 | |
| | 16.5" | 16.5" | 16.5" | 16.5" | 16.5" | |
| | 17" | 17" | 17" | 17" | 17" | |
| | 17.5" | 17.5" | 17.5" | 17.5" | 17.5" | |
| | 15" | 15" | 15" | 15"4 | | |
| | 15.5" | 15.5" | 15.5" | 15.5" | | |
| | 16" | 16" | 16" | 16" | | |
| | 16.5" | 16.5" | 16.5" | 16.5" | 16.5" | |
| l6" with Pneumatic, | 17" | 17" | 17" | 17" | 17" | |
| Pneumatic with Airless nsert or Full Poly Tire | 17.5" | 17.5" | 17.5" | 17.5" | 17.5" | |
| nscredit all Foly file | 18" | 18" | 18" | 18" | 18" | |
| | 18.5" 4 | 18.5" | 18.5" | 18.5" | 18.5" | |
| | 19" | 19" | 19" | 19" | 19" | |
| | | 19.5" 2 | 19.5" 4 | 19.5"4 | =- | |
| | 14" | 14" 4 | 14"4 | 1 | | |
| | 14.5" | 14.5" | 14.5" | | | |
| | 15" | 15" | 15" | | | |
| | 15.5" | 15.5" | 15.5" | 15.5" | | |
| L6" With Low Poly Tire | 16" | 16" | 16" | 16" | | |
| to vitil Low Foly life | 16.5" | 16.5" | 16.5" | 16.5" | 16.5" | |
| | 17" | 17" | 17" | 17" | 17" | |
| | 17.5" | - | | + | + | |
| | | 17.5" | 17.5" | 17.5" | 17.5" | |
| | 18" selections limi | 18" | 18" | 18" | 18" | |

| Dans | Caster Size | | | | | | | |
|---|----------------------|---------------------|---------------------|---------------------|----------------------|--|--|--|
| Rear Wheel | 5" | 6" | 6" x 2" | 7" | 8" | | | |
| Size | Seat Height | | | | | | | |
| | 15" | 15" | 15" | | | | | |
| | 15.5" | 15.5" | 15.5" | 15.5" | | | | |
| | 16" | 16" | 16" | 16" | 16" | | | |
| | 16.5" | 16.5" | 16.5" | 16.5" | 16.5" | | | |
| 16" with Drum Brake | 17" | 17" | 17" | 17" | 17" | | | |
| | 17.5" | 17.5" | 17.5" | 17.5" | 17.5" | | | |
| | 18" | 18" | 18" | 18" | 18" | | | |
| | 18.5" 4 | 18.5" | 18.5" ⁴ | 18.5" 4 | 18.5" | | | |
| | 19" | 19" | 19" | 19" | 19" | | | |
| | 17" | 17" | 17" | 17" | 17" | | | |
| | 17.5" | 17.5" | 17.5" | 17.5" | 17.5" | | | |
| 20" with Pneumatic, | 18" | 18" | 18" | 18" | 18" | | | |
| Pneumatic with Airless Insert, Low Poly, Full Poly | 18.5" | 18.5" | 18.5" | 18.5" | 18.5" | | | |
| Tire Or Drum Brake | 19" | 19" | 19" | 19" | 19" | | | |
| | 19.5" | 19.5" | 19.5" | 19.5" | 19.5" | | | |
| | 20"4 | 20"4 | 20"4 | 20" | 20" | | | |
| | 15.5" ¹⁰ | 15.5" ¹⁰ | 15.5" ¹⁰ | 15.5" ¹⁰ | | | | |
| | 16" ¹⁰ | 16" ¹⁰ | 16" ¹⁰ | 16" ¹⁰ | 16" ¹⁰ | | | |
| | 16.5" ¹⁰ | 16.5" ¹⁰ | 16.5" ¹⁰ | 16.5" ¹⁰ | 16.5" ¹⁰ | | | |
| 20" Self Propel or Self 1 Propel with Drum Brake | 17" | 17" | 17" | 17" | 17" | | | |
| r reper man Brain Brains | 17.5" | 17.5" | 17.5" | 17.5" | 17.5" | | | |
| | 18" | 18" | 18" | 18" | 18" | | | |
| | 18.5" ⁴ | 18.5" | 18.5" | 18.5" ⁴ | 18.5" | | | |
| | 16.5" ¹⁰ | 16.5" ¹⁰ | 16.5" ¹⁰ | 16.5" ¹⁰ | 16.5" ¹⁰ | | | |
| | 17" ¹⁰ | 17" ¹⁰ | 17" ¹⁰ | 17" ¹⁰ | 17" ¹⁰ | | | |
| | 17.5" ¹⁰ | 17.5" ¹⁰ | 17.5" ¹⁰ | 17.5" ¹⁰ | 17.5" ¹⁰ | | | |
| 22" Self Propel or Self 1 Propel with Drum Brake | 18" | 18" | 18" | 18" | 18" | | | |
| | 18.5" | 18.5" | 18.5" | 18.5" | 18.5" | | | |
| | 19" | 19" | 19" | 19" | 19" | | | |
| | 19.5" ⁴ | 19.5" ² | 19.5" ⁴ | 19.5" ⁴ | | | | |
| | 17" | 17" | 17" | 17" | 17" | | | |
| | 17.5" | 17.5" | 17.5" | 17.5" | 17.5" | | | |
| | 18" | 18" | 18" | 18" | 18" | | | |
| 24" Self Propel ¹ | 18.5" | 18.5" | 18.5" | 18.5" | 18.5" | | | |
| | 19" | 19" | 19" | 19" | 19" | | | |
| | 19.5" ^{7,8} | 19.5" | 19.5" | 19.5" ⁹ | 19.5" ^{7,8} | | | |
| | 20" ⁵ | 20" 6 | 20" 6 | 20" | 20" | | | |
| | 18.5" 4,11 | 18.5" ¹¹ | 18.5" ¹¹ | 18.5" ¹¹ | 18.5" ¹¹ | | | |
| 24" Self Propel with Drum 1 | 19" | 19" | 19" | 19" | 19" | | | |
| Brake | 19.5" ¹¹ | 19.5" 9,12 | 19.5" 9,12 | 19.5" 9,12 | 19.5" 9,12 | | | |
| | 20" 4 | 20" 6 | 20" | 20" | 20" | | | |

 $^{5\,\}mbox{Not}$ available in combination with spoke wheel and Full Poly tire

⁶ Not available in combination with spoke wheel, Full Poly tire and 17-20 Frame Depth

⁷ Not available in combination with Mag wheel and 17-20" Frame Depth

⁸ Not available in combination with spoke wheel, Pneumatic tires and 17-20" Frame Depth

^{9 17-20&}quot; Frame Depth requires spoke wheel and Full Poly tire

¹⁰ Not available with Drum Brake

¹¹ Available only with Full Poly tire

^{12 12&}quot; Frame Depth requires spoke wheel and Full Poly tire

¹ Self Propel Axle Plate selections limit tilt range

² Not available with 12" Frame Depth

³ Not available with 12-16" Frame Depth

⁴ Not available with 17-20" Frame Depth





| Casters | | | | | | |
|-------------|--------------------------|-------|----|-----------|----|----|
| | | | Ca | aster Siz | e | |
| | | Price | 5" | 6" | 7" | 8" |
| | .75" Lighted Rollerblade | \$77 | | | | |
| | 1" Poly | N/C | | | | |
| , | 1" Poly Aluminum | \$118 | | | | |
| e. | 1" Pneumatic | \$92 | | | | |
| Caster Type | 1.5" Poly | \$97 | | | | |
| | 1.5" Soft Roll Aluminum | \$190 | | | | |
| | 2" Poly | \$97 | | | | |

| Self Propel Axle Plate | | | | | | | N/C |
|------------------------|--------------------------|-----------------|-----|-----|-----|-----|-----|
| Rear W | /heels | | | | | | |
| | | Rear Wheel Size | | | | | |
| | | Price | 12" | 16" | 20" | 22" | 24" |
| <u> </u> | Mag | N/C | | | | | |
| Rear Wheel Type | Colored Mag ¹ | \$108 | | | | | |
| ∝≤⊢ | Maxx Spoke | \$205 | | | | | |

1 Color Mag Selection on page 6

N/C

Axle Plates
Standard

| 2 1 0.1, | Ψ | | | |
|---|-----------|----------|------------|-------|
| Axles | | | | |
| No selection needed with Drum Brake. | | | | |
| Fixed | | | | N/C |
| Not available with Folding Base Frame and S | tandard W | /heel Lo | ks. | |
| Quick Release | | | | N/C |
| Handrims | | | | |
| Handrims not available on 12" or 16" wheel sizes. | | | | |
| Aluminum Anodized | | | | N/C |
| Plastic Coated | | | | \$123 |
| Projection (8 Vertical Projections) Available only with full profile tires in combin | | 22", 24 | ", and 26" | ¢240 |
| MAXX Spoke wheels, or 22" and 24" Mag wh | ieeis | | | \$349 |

| Rear Tire Type | |
|--|------|
| Low Poly (E2218) Available only with 16" wheel size. | N/C |
| Full Poly (E2218) | N/C |
| Pneumatic (E2211,E2212) | \$92 |
| Pneumatic with Airless Insert (E2211, E2213) | \$97 |
| Handrim Option | |
| ot available on Plastic Coated or Projection Handrims. | |
| 3M Micro Grip | \$67 |

Wheel Locks

Omit Handrim

| ar wheels must be removed to fold chair with Push to Lock, Pull to Lock and Dual wh ections. | ieei iock |
|--|-----------|
| Push to Lock | N/C |
| Pull to Lock | N/0 |
| Not available with 12" or 16" Full Poly tires. | |
| Attendant Foot Lock | N/0 |
| Available only with 12" and 16" Mag wheels. | |
| Dual - Attendant Foot Lock with Push to Lock | \$8: |
| Available only with 12" and 16" Mag wheels. | |
| Dual - Attendant Foot Lock with Pull to Lock | \$82 |
| Available only with 12" and 16" Mag wheels. | |
| Drum Brake (E2228) | \$59 |
| Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire or Reclining Backrest. Axle is Quick Release | |
| Dual - Drum Brake with Push to Lock (E2228) | \$70 |
| Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire or Reclining Backrest. Axle is Quick Release | |
| Dual - Drum Brake with Pull to Lock (E2228) Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire or Reclining Backrest. Axle is Quick Release | \$70 |
| Omit | N/0 |

| Wheel Lock Option | |
|--|------|
| Extension Handles (E0961) Available only with Push to Lock or Pull to Lock Wheel Locks. | \$82 |
| | |
| | |
| | |
| | |
| | |





Armrests

| Armrest Type | Price | |
|---|---------------------|-------|
| Height Adjustable Pediatric E0973 1 1 | Desk(6.5"-9") | \$195 |
| Height Adjustable Pediatric E09/3 1 | Desk Tall(8"-10.5") | \$193 |
| LL: LL A I' LL T A T - //44 5 45 \ 50070 | Desk | tooo |
| Height Adjustable T-Arm Tall (11.5"-15") E0973 | Full | \$323 |
| 11.5.1.4.A.1 | Desk | tooo |
| Height Adjustable T-Arm (8.5"-13.5") E0973 2 2 | Full | \$323 |
| Height Adjustable T-Arm Low (6.5"-10.5") E0973 ³ | Desk | taaa |
| Height Adjustable 1-Arm Low (6.5 -10.5) E0973 | Full | \$323 |

| 1 | Best | fit | with | F | rame | D | eptl) | hs I | less t | han : | 14 | ". |
|---|------|-----|------|---|------|---|-------|------|--------|-------|----|----|
| | | | | | | | | | | | | |

² Not available with 12" Frame Depth

| Armrest Type | | Length | | Price |
|--|--|--------|--|-------|
| A - 1 - A - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | Desk | | ¢207 |
| Angle Adjustable Locking Extendable Flip Up E0973 ⁴ | | Full | | \$297 |
| Tubular Flip Up ⁵ | | | | N/C |
| Omit Armrests | | | | N/C |

Arm Pads

| Standard Arm Pad | N/C |
|--|------|
| Waterfall Arm Pad | \$26 |
| Not available with Angle Adjustable Locking Extendable Flip Up Armrest. | |
| Foam Grip | N/C |
| Available only with Angle Adjustable Locking Extendable Flip Up Armrest. | |

Pads

Accesories

Removable Side Guards

Not available with Height Adjustable Armrests.

| Adult Composite Side Guards (14" - 16") (KO108) | \$149 |
|--|-------|
| Pediatric Composite Side Guard (10" - 14") (K0108) | \$149 |

Anti-Tips

| Rear Anti-Tips (E0971)_ | \$165 |
|-------------------------|-------|
| Omit | N/C |

Pelvic Positioning Belts

| 1" Auto Buckle Pelvic Positioning Belt (E0978) | \$87 |
|---|-------|
| 1" Padded Auto Buckle Pelvic Positioning Belt (E0978) | \$179 |
| 1 1/2" Auto Buckle Pelvic Positioning Belt (E0978) | \$87 |
| 1 1/2" Padded Auto Buckle Pelvic Positioning Belt (E0978) | \$179 |
| 2" Airline Buckle Pelvic Positioning Belt (E0978) | \$118 |
| Small Bodypoint Evoflex (16-24") (E0978) | \$200 |
| Medium Bodypoint Evoflex (19-29") (E0978) | \$200 |
| Large Bodypoint Evoflex (25-37") (E0978) | \$200 |

Belt Mounting Kit

| Belt Mounting Band Clamp | \$36 |
|-----------------------------|------|
| Seat Belt Mounting Hardware | \$31 |

Spoke Guards

Clear Spoke Guards (K0065)**Not available with Mag wheel.**

Black Spoke Guards (K0065) Available only with 22" and 24" Spoke wheels.

Blue Monster Spoke Guards (K0065)¹


Robo Fun Spoke Guards (K0065)¹

Tutu Cute Spoke Guards (K0065)¹

Tuxedo Time Spoke Guards (K0065)¹ \$123

1 Available only with 20" and 22" wheel sizes. Not available with Mag wheel.

| Other Accessories | |
|------------------------------------|-------|
| Tool Kit | \$62 |
| Removable Underseat Pouch | \$62 |
| Pediatric Ki Mobility Backpack | \$72 |
| Ki Mobility Backpack | \$72 |
| Black Neoprene Impact Guards | \$97 |
| Tilt Stop Posterior (Pair) (K0108) | \$31 |
| Tilt Stop Anterior (Pair) (K0108) | \$31 |
| IV Pole | \$292 |
| Canopy with Hardware (K0108) | \$302 |



vertical part of back cane.

³ If requested configuration is unavailable, Standard Height T-Arm will be used

⁴ Not available with Dynamic Back. Available only with 12" and 16" Rear

⁵ Not available with Dynamic Back, Reclining Back or Arm Pads

This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



Color

Select desired frame and accent colors. Accent color is used on side panel; if no accent color is selected, frame color will be used. Colors Gloss Matte ridescent Burgundy **Bubblegum Pink** Metallic Orange **Emerald Green** Military Green Charcoal Gray Smooth White **Granny Smith** Options Price Candy Purple Shadow Black Candy Blue Blue Skies Candy Red Royal Blue Retro Red Copper Silver Black Teal Frame N/C Accent N/C Mag Color