



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com

Company: _____

Account Number: _____ Date: _____

Quote PO Number: _____

RTS: _____

Marked For: _____

Select if chair quote has: Additional Ki Products with Different Quote/Order Number **Quote/Order Number:** _____

Catalyst 5Ti K0005 **\$3775**
 300 lb weight capacity

Effective 01/17/2022

HCPCS codes provided are based on code verification by the PDAC or our interpretation of the code definitions. Proper use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

Frame

Seat Width

- 14" _____ N/C
- 15" _____ N/C
- 16" _____ N/C
- 17" _____ N/C
- 18" _____ N/C
- 19" _____ \$195
- 20" E2201 _____ \$405
- 21" E2201 _____ \$505
- 22" E2201 _____ \$505

Seat Depth

- 14" _____ N/C
- 15" _____ N/C
- 16" _____ N/C
- 17" _____ N/C
- 18" _____ N/C
- 19" _____ \$200
- 20" E2203 _____ \$505

Weight Capacity

- 300 lb _____ Std
- 350 lb (Heavy Duty) _____ \$525
Requires minimum 6" caster height

Backrest

Back Post / Height Range / Back Height

Back Post	Price	Height Range	Back Height			
			8.5	9.5	10.5	11.5
<input type="checkbox"/> Standard	N/C	<input type="checkbox"/> Short	<input type="checkbox"/> 8.5	<input type="checkbox"/> 9.5	<input type="checkbox"/> 10.5	<input type="checkbox"/> 11.5
		<input type="checkbox"/> Medium	<input type="checkbox"/> 12.5	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15.5
		<input type="checkbox"/> Tall	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19.5
<input type="checkbox"/> Angle Adjustable w/ Push Handle	\$185	<input type="checkbox"/> Short	<input type="checkbox"/> 14	<input type="checkbox"/> 15	<input type="checkbox"/> 16	
		<input type="checkbox"/> Medium	<input type="checkbox"/> 16	<input type="checkbox"/> 17	<input type="checkbox"/> 18	
		<input type="checkbox"/> Tall	<input type="checkbox"/> 18	<input type="checkbox"/> 19	<input type="checkbox"/> 20	

Transit

- Transit System _____ \$325
Not available with Removable Seat Pan or 350 lb Weight Capacity
- Omit Transit _____ N/C

Cross Brace

- Aluminum _____ Std
- Titanium _____ \$550
Not available with 21" and 22" Seat Widths

Seat Pan

- Removable Aluminum Seat Pan E2231 _____ \$275
Not available with Transit System. Pan depth 1/2" shorter than Seat Depth.

Wheelchair Drive Ready

Chair will ship from Ki Mobility with adaption kit installed for selected Alber system. Order system separately from Alber USA. Select Rear Seat Height (full profile selections only) in drive wheel size on Rear Seat Height chart (page 4). Requires Rear Anti-Tips. Not available with Spinergy wheels or Height Adjustable Flip Back T-Arm.

- e-motion Ready _____ N/C
- twion Ready _____ N/C

Standard Back Post

Select option below only if a Standard Back Post option is selected on chart at left

- Straight without Push Handle _____ N/C
- Straight with Push Handle _____ \$50
- 8° Bend with Push Handle _____ \$85
Not available with Short Back Height Range
- Straight with Fold Down Push Handle _____ \$125
Not available with 350 lb Weight Capacity

Push Handle Options

Not available with Straight Back Post with Fold Down Push Handle or 350 lb Weight Capacity

- Low Profile Push Handle _____ \$85
2" shorter than standard push handles

Backrest continued

Back Upholstery

Select option below only if Standard or Angle Adjustable Back Post option is selected on chart on previous page. If selecting both upholstery and Axiom Back, the upholstery will be installed.

- Standard _____ Std
Not available with Short or Medium Back Height Ranges on 21" - 22" Seat Widths
- Tension Adjustable E2611
 - Standard Cover _____ \$315
 - Air Mesh Breathable Cover _____ \$390
- Omit Back Upholstery _____ - \$10

Military Patch

- Attached only if ordered with Tension Adjustable Back Upholstery
- US Military Service Patch _____ \$90
 - Army Navy Marines Air Force Coast Guard
 - US Purple Heart Patch _____ \$90
 - Purple Heart with Military Service Patch Combo _____ \$145
 - Army Navy Marines Air Force Coast Guard

Frame Type / Footrest

Hanger / Front Frame Bend

Frame	Hanger	70°	80°		Retail
Swing Away	Extension Tube Mount	<input type="checkbox"/>	<input type="checkbox"/>		Std
	Pro Elevating Leg Rests (PRO ELR) E0990			<input type="checkbox"/>	\$295
	Omit Hangers			<input type="checkbox"/>	-\$20
Fixed	Extension Tube Mount	<input type="checkbox"/>	<input type="checkbox"/>		N/C

¹ Not available with 7" or 8" Casters

Footplate

- Composite _____ N/C
Not available with PRO ELR
- Composite Angle Adjustable K0040 _____ \$190
Not available with 14" Seat Width
- Aluminum Angle Adjustable K0040 _____ \$190
- One Piece Flip Up Angle Adjustable K0040 _____ \$190
Not available with PRO ELR

PRO ELR Cover

Available only on PRO ELR

- Gel Pad Cover _____ \$390

Footrest / Extension / Seat to Footrest Length


Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hangers and Fixed Front Frame measurements are based on 70° Hanger / Front Frame Bend.

Footrest	Extension	Seat to Footrest Length									
Extension Tube Hangers (70°, 80°)	<input type="checkbox"/> Short	<input type="checkbox"/> 11	<input type="checkbox"/> 11.5	<input type="checkbox"/> 12	<input type="checkbox"/> 12.5	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	
	<input type="checkbox"/> Medium	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	
	<input type="checkbox"/> Long	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	
PRO ELR Low Pivot Setting	<input type="checkbox"/> Short	12 - 17.5									
	<input type="checkbox"/> Long	15 - 21									
PRO ELR High Pivot Setting	<input type="checkbox"/> Short	10.5 - 15.5									
	<input type="checkbox"/> Long	13 - 19									
Fixed Front Frame (70°, 80°)	<input type="checkbox"/> Short	<input type="checkbox"/> 11.5	<input type="checkbox"/> 12	<input type="checkbox"/> 12.5	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15		
	<input type="checkbox"/> Medium	<input type="checkbox"/> 13	<input type="checkbox"/> 13.5	<input type="checkbox"/> 14	<input type="checkbox"/> 14.5	<input type="checkbox"/> 15	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	
	<input type="checkbox"/> Long	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	

Hanger Release

If no selection is made Classic Hanger Release will be used

- Classic _____ Std
- 4-Way - In line _____ N/C
See reference A below. Not available with PRO ELR.
- 4-Way - Out _____ N/C
See reference B below. Not available with PRO ELR.



Residual Limb Support

Residual Limb Support E1020

- Right and Left _____ \$810
- Left _____ \$405 Right _____ \$405
- Omit Left Hanger _ -\$10 Omit Right Hanger _ -\$10

Cover

- Smooth Air Mesh Smooth Air Mesh

Pad Size

- | | | | |
|---------------------------------|----------------------------------|---------------------------------|----------------------------------|
| <input type="checkbox"/> 5 x 8 | <input type="checkbox"/> 9 x 14 | <input type="checkbox"/> 5 x 8 | <input type="checkbox"/> 9 x 14 |
| <input type="checkbox"/> 7 x 10 | <input type="checkbox"/> 11 x 10 | <input type="checkbox"/> 7 x 10 | <input type="checkbox"/> 11 x 10 |
| <input type="checkbox"/> 9 x 10 | <input type="checkbox"/> 11 x 14 | <input type="checkbox"/> 9 x 10 | <input type="checkbox"/> 11 x 14 |

Footrest continued

Heel Loop

Not available with One Piece Flip Up Angle Adjustable Footplate

- Heel Loops E0951 _____ \$40
- Adjustable Heel Loops E0951 _____ \$50
- Omit Heel Loops _____ N/C

Calf Strap

- Velcro Adjustable K0038 _____ \$40
- Padded Velcro Adjustable K0038 _____ \$68
- Bodypoint Padded AeroMesh K0038 _____ \$118

Front Seat Height and Casters

Caster Size / Front Seat Height

Select Front Seat Height in row corresponding to desired caster size

Caster Size	Front Seat Height										
4"	<input type="checkbox"/> 15	<input type="checkbox"/> 15.5	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20
5"	<input type="checkbox"/> 16	<input type="checkbox"/> 16.5	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20	<input type="checkbox"/> 20.5	
6"	<input type="checkbox"/> 17	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20	<input type="checkbox"/> 20.5	<input type="checkbox"/> 21		
7"	<input type="checkbox"/> 18	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20	<input type="checkbox"/> 20.5	<input type="checkbox"/> 21				
8"	<input type="checkbox"/> 19	<input type="checkbox"/> 19.5	<input type="checkbox"/> 20	<input type="checkbox"/> 20.5	<input type="checkbox"/> 21						

Caster

		Caster Size					
		Price	4"	5"	6"	7"	8"
Caster Type	.75" Rolleblade	N/C	<input type="checkbox"/>				
	.75" Lighted Rollerblade	\$70	<input type="checkbox"/>				
	1" Poly	N/C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1" Poly Aluminum	\$160	<input type="checkbox"/>	<input type="checkbox"/>			
	1" Pneumatic	\$85			<input type="checkbox"/>		<input type="checkbox"/>
	1.5" Poly	\$50	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	1.5" Soft Roll Aluminum	\$185	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	2" Poly	\$70			<input type="checkbox"/>		
2" Pneumatic w/ Foam Insert	\$225					<input type="checkbox"/>	

Caster Housing

- Standard _____ N/C
- Performance _____ \$35
Not available with 350 lb Weight Capacity

Fork Stem

- Best Fit _____ Std
Ki Mobility will pick Fork and Stem combination to optimize performance based on Caster Size and Front Seat Height
- Standard Fork Stem _____ N/C
- 3/4" Longer Fork Stem _____ N/C
- 1 1/2" Longer Fork Stem _____ N/C

Maximum Seat Dump Reference

(Front Seat Height minus Rear Seat Height)

Seat Depth	14"	15"	16"	17"	18"	19"	20"
Maximum Dump Standard Caster Housing	1.5"	2"	2"	2"	2.5"	2.5"	2.5"
Maximum Dump Performance Caster Housing	3"	3"	3"	3.5"	3.5"	4"	4"

Depending on configuration, chairs with Fixed Front Frame Type may achieve up to an additional .75"

Fork Options

- Frog Legs Suspension Fork _____ \$425
Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic w/ Foam Insert caster.
 - User Weight Under 80 lbs
 - User Weight 80 - 120 lbs
 - User Weight 120 - 160 lbs
 - User Weight 160 - 220 lbs
 - User Weight 220 - 260 lbs
 - User Weight 260 - 300 lbs
- Frog Legs II Suspension System _____ \$425
Lightweight shock absorbing fork. Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic w/ Foam Insert caster.
- Caster Pin Locks K0073 _____ \$195
Not available with Performance Caster Housing, 1 1/2" Longer Fork Stem or Frog Legs Fork

Wheel Locks

Wheel Lock

Push to Lock _____ Std

Push to Lock Flush Mount _____ N/C

Pull to Lock _____ N/C

Low Profile Scissor Lock _____ \$45
Not available with Low Poly, Full Poly or Sentinel Solid tires

Short Thro Scissor Lock _____ \$110

Drum Brake E2228 _____ \$560
Available only with 20", 22" and 24" MAXX Performance Spoke wheels. Not available with Straight without Push Handle or Straight with Fold Down Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release.

Omit Wheel Locks _____ N/C

Wheel Lock Options

Extension Handles E0961 _____ \$75
Available only with Push to Lock or Pull to Lock Wheel Locks

Grade Aids E0974 _____ \$150
Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires

Rear Seat Height and Wheels

Wheel Size / Tire Profile / Rear Seat Height

Select Rear Seat Height in row corresponding to Wheel Size and Tire Profile. 14" Seat Depth not available with 24", 25" or 26" wheel sizes.

Requires Universal Axle Plate Any axle plate can be used (Universal, Amputee, One Arm Drive)

Wheel Size	Tire Profile	Rear Seat Height									
		<input type="radio"/> 11.5	<input type="checkbox"/> 12 ¹	<input type="radio"/> 12.5	<input type="checkbox"/> 13 ¹	<input type="radio"/> 13.5	<input type="checkbox"/> 14	<input type="radio"/> 14.5	<input type="checkbox"/> 15	<input type="radio"/> 15.5	<input type="radio"/> 16
20"	Low	<input type="radio"/> 11.5	<input type="checkbox"/> 12 ¹	<input type="radio"/> 12.5	<input type="checkbox"/> 13 ¹	<input type="radio"/> 13.5	<input type="checkbox"/> 14	<input type="radio"/> 14.5	<input type="checkbox"/> 15	<input type="radio"/> 15.5	<input type="radio"/> 16
	Full	<input type="radio"/> 12	<input type="checkbox"/> 12.5 ¹	<input type="radio"/> 13	<input type="checkbox"/> 13.5 ¹	<input type="radio"/> 14	<input type="checkbox"/> 14.5	<input type="radio"/> 15	<input type="checkbox"/> 15.5	<input type="radio"/> 16	<input type="radio"/> 16.5
22"	Low	<input type="radio"/> 12.5	<input type="checkbox"/> 13 ¹	<input type="radio"/> 13.5	<input type="checkbox"/> 14 ¹	<input type="radio"/> 14.5	<input type="checkbox"/> 15	<input type="radio"/> 15.5	<input type="checkbox"/> 16	<input type="radio"/> 16.5	<input type="radio"/> 17
	Full	<input type="radio"/> 13	<input type="checkbox"/> 13.5 ¹	<input type="radio"/> 14	<input type="checkbox"/> 14.5 ¹	<input type="radio"/> 15	<input type="checkbox"/> 15.5	<input type="radio"/> 16	<input type="checkbox"/> 16.5	<input type="radio"/> 17	<input type="radio"/> 17.5
24"	Low	<input type="radio"/> 13.5	<input type="checkbox"/> 14 ¹	<input type="radio"/> 14.5	<input type="checkbox"/> 15 ¹	<input type="radio"/> 15.5	<input type="checkbox"/> 16	<input type="radio"/> 16.5	<input type="checkbox"/> 17	<input type="radio"/> 17.5	<input type="radio"/> 18
	Full	<input type="radio"/> 14	<input type="checkbox"/> 14.5 ¹	<input type="radio"/> 15	<input type="checkbox"/> 15.5 ¹	<input type="radio"/> 16	<input type="checkbox"/> 16.5	<input type="radio"/> 17	<input type="checkbox"/> 17.5	<input type="radio"/> 18	<input type="radio"/> 18.5
25"	Low	<input type="radio"/> 14	<input type="checkbox"/> 14.5 ¹	<input type="radio"/> 15	<input type="checkbox"/> 15.5 ¹	<input type="radio"/> 16	<input type="checkbox"/> 16.5	<input type="radio"/> 17	<input type="checkbox"/> 17.5	<input type="radio"/> 18	<input type="radio"/> 18.5
26"	Low		<input type="checkbox"/> 15 ^{1,2}	<input type="radio"/> 15.5	<input type="checkbox"/> 16 ¹	<input type="radio"/> 16.5	<input type="checkbox"/> 17	<input type="radio"/> 17.5	<input type="checkbox"/> 18	<input type="radio"/> 18.5	<input type="radio"/> 19
	Full	<input type="radio"/> 15 ²	<input type="checkbox"/> 15.5 ^{1,2}	<input type="radio"/> 16	<input type="checkbox"/> 16.5 ¹	<input type="radio"/> 17	<input type="checkbox"/> 17.5	<input type="radio"/> 18	<input type="checkbox"/> 18.5	<input type="radio"/> 19	<input type="radio"/> 19.5

¹ Not available with Amputee Axle Plate
² Not available with Height Adjustable Flip Back T-Arm

One Arm Drive

One Arm Drive E0958 _____ \$1095
Available only with 20", 22" and 24" spoke wheels and Quick Release Axles. Spoke wheel style is exclusive to OAD. Not available with 4 degrees of camber. Standard handrim will be Aluminum Anodized.

Rear Wheel Size: 20" 22" 24"

Drive Handrim Side: Left Right

Drive Handrim Type: Aluminum _____ N/C
 Poly Coated _____ \$200

Axle Plate

No selection needed with One Arm Drive

Universal _____ Std

Amputee _____ \$175
Not available with Swing Away Armrests or Wheelchair Drive Ready Option

Rear Wheel

No selection needed with One Arm Drive

Rear Wheel Type	Price	Rear Wheel Size				
		20"	22"	24"	25"	26"
MAXX Performance Spoke	\$220	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
MAXX Performance Spoke	N/C			<input type="checkbox"/>		
Mag	\$50	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Superlight Spoke ¹	\$295			<input type="checkbox"/>	<input type="checkbox"/> ²	
Spinergy Spox	\$845		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Spinergy LX	\$1050		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

¹ Not available with 350 lb Weight Capacity
² Available only with Superlight and Plastic Coated Handrims

Spinergy Options

Select spoke color and handrim tab for Spinergy wheels

Spoke Color:

Black Red White Blue Yellow
 Pink¹ Green¹ Purple¹ Orange¹

¹ Available only with Spinergy LX

Handrim Tab:

Available only with Aluminum Anodized and Plastic Coated Handrims

Short Tab _____ N/C

Long Tab _____ N/C

Rear Seat Height and Wheels continued

Rear Tire Type

Full Profile

- Street Pneumatic 1 3/8" E2211, E2212 _____ Std
Not available on 25" wheel size
- Full Poly 1 3/8" E2218 _____ \$95
Not available on Superlight wheel or 25" or 26" wheel sizes
- Pneumatic with Airless Insert 1 3/8" E2211, E2213 _____ \$130
Not available on Superlight wheel or 25" wheel size
- Schwalbe HS-127 1 3/8" E2211, E2212 _____ \$125
Available only on 24" wheel size. Not available on Mag wheel.
- Euro Trek Knobby 1 3/8" E2211, E2212 _____ \$95
Available only on 24" wheel size

Low Profile

- Low Poly 1" E2218 _____ \$75
Not available on Superlight wheel, 25" or 26" wheel sizes or 350 lb Weight Cap.
- Sentinel Solid Tire 1" E2218 _____ \$95
Not available on Superlight wheel or 20" and 22" Mag wheels
- High Pressure 1" E2211, E2212 _____ \$95
Not available on Mag wheel
- Schwalbe One 1" E2211, E2212 _____ \$125
Not available on Mag wheel, 20", 22" or 26" wheel sizes
- Schwalbe Marathon Plus Evolution 1" E2211, E2212 _____ \$135
Not available on Mag wheel, 20" or 22" wheel sizes

Handrim

No selection needed with One Arm Drive

Standard Handrims

- Aluminum Anodized _____ Std
- Superlight Aluminum Anodized _____ \$50
Available only on 24" and 25" wheel sizes. Available only on MAXX Performance, Superlight or Spinergy wheels. Not available with 350 lb Weight Capacity.
- Plastic Coated _____ \$95
- Projection (8 Vertical Projections) _____ \$325
Available only with full profile tires in combination with 22"-26" MAXX Performance or 24" Mag wheel
- Spinergy Flex Rim _____ \$700
Available only on 24" and 25" Spinergy LX wheels
- Omit Handrim _____ N/C

Natural Fit Handrims

Not available on 20" wheel size or 22" Mag wheel. Not recommended with Mag wheel.

- Natural Fit LT Regular Grip _____ \$465
- Natural Fit Standard Regular Grip _____ \$445
- Natural Fit LT Super Grip _____ \$515
- Natural Fit Standard Super Grip _____ \$495
- Natural Fit LT Omit Grip _____ \$395
- Natural Fit Standard Omit Grip _____ \$345

Handrim Option

- 3M Micro Grip _____ \$65
Not available on Plastic Coated or Projection Handrims

Axles

Axle

No selection needed with One Arm Drive

- Quick Release _____ Std
- Quad Quick Release _____ \$175
Not available with Mag or Spinergy wheels

Axle Position

- Rear Wheel Camber: 0° 2° 4°
 Center of Gravity: Rear Center Forward
No selection needed with Amputee Axle Plate

Armrests

Armrest

Height Adjustable T-Arm (8.5" - 13.5") E0973

- Desk _____ \$295
- Full _____ \$295

Height Adjustable T-Arm Low (7.5" - 11.5") E0973

If selection is not available with rear wheel and rear seat height configuration, standard Height Adjustable T-Arm armrests will be used

- Desk _____ \$295
- Full _____ \$295

Height Adjustable Flip Back T-Arm (9.5"-13.5") E0973

- Desk _____ \$305
- Full _____ \$305

Flip Back (10.5")

Not available with Seat Depths less than 16" or Angle Adjustable Back Posts

- Desk _____ \$425
- Full _____ \$425

- Swing Away (10.5" - 12.5") E0973 _____ \$225
Not available with Angle Adjustable Back Posts or Arm Pads
- Omit Armrests _____ N/C

Arm Pad

Not available with Swing Away Armrests

- Waterfall Arm Pad _____ \$25
Available only with Height Adjustable T-Arm and Height Adjustable T-Arm Low

Accessories

Removable Side Guard

Available only with Swing Away Armrests

- Composite Side Guards K0108 _____ \$145
- Aluminum Straight - Black Matte K0108 _____ \$195
- Aluminum Adjustable Fender with Foam Pad - Black Matte K0108 _____ \$275
- Carbon Fiber Adjustable Fender K0108 _____ \$485

Anti-Tip

- Rear Anti-Tips E0971 _____ \$150
- Swing-In Anti-Tip E0971
Not available with 350 lb Weight Capacity
 - Single - Left _____ \$155
Not available with left side O₂ Holder
 - Single - Right _____ \$155
Not available with right side O₂ Holder
 - Pair _____ \$310
Not available with Cane and Crutch Holder or O₂ Holder
- Omit Rear Anti-Tips _____ N/C

Pelvic Positioning Belt

- 1 1/2" Auto Buckle E0978 _____ \$80
- 1 1/2" Padded Auto Buckle E0978 _____ \$170
- 2" Airline Buckle E0978 _____ \$110
- Bodypoint Evoflex - Pelvic Stabilizer E0978 _____ \$188
 Size: Small (16-24") Medium (19-29") Large (25-37")
- Bodypoint Belt Mounting Kit _____ \$108
 Style: Bracket Band Clamp 1"

O₂ Holder

- O₂ Holder E2208 _____ \$295
 Right Side Left Side

Other Accessories

- Tool Kit _____ \$45
- Removable Underseat Pouch _____ \$50
- Pediatric Ki Mobility Backpack _____ \$50
- Ki Mobility Backpack _____ \$65
- Luggage Carrier _____ \$85
Not available with PRO ELR or Residual Limb Support
- Black Neoprene Impact Guards _____ \$90
- Clear Spoke Guards K0065 _____ \$115
Not available with Mag wheel
- Black Spoke Guards K0065 _____ \$115
Not available with 20" wheel size or Mag wheel
- Cane and Crutch Holder _____ \$195
- IV Pole _____ \$275
Available only with Standard Straight Back Posts

Catalyst Front Seat Height Matrix																																					
4" Caster				5" Caster				6" Caster				7" Caster				8" Caster																					
FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork																		
15	13.5	Std	4"	16	14.5	Std	4"	17	15.5	Std	5"	18	16.5	Std	6"	19	17.5	Std	6"																		
15.5	14			16.5	15.5	3/4		17.5	16.5	3/4		18.5	17			19.5	18.5	3/4																			
15.5 ¹	14 ¹			17.5	16	1 1/2		18.5	17	1 1/2		18.5	17.5			20.5	n/a	1 1/2																			
16	14.5	3/4		5"	16	14.5	Std	5"	17	15.5	Std	6"	19	18		3/4	7"	19	17.5	Std	7"																
16.5 ¹	15 ¹	1 1/2			16.5	15			17.5	16			18.5	17				19.5	18			19.5	18														
17	15.5	3/4			16.5	15.5			17.5	16.5			18	16.5				18.5	17			19.5	18.5														
15.5	14	Std			5"	17	16		3/4	5"	17.5		16.5	3/4		6"		18.5	17	1 1/2		7"	20.5	19	Std	7"											
16	14.5					1 1/2	17.5				16		18					17	18.5				17.5	19			17.5	19.5	18.5								
16	15					3/4	18				16.5		18.5					17.5	19.5				18	19.5			18	20	19								
16.5	15.5	1 1/2				5"	16.5		15		Std		5"	18.5				17	1 1/2	6"			20	18.5	Std		7"	20.5	n/a	3/4	7"						
17	15.5		17				15.5		19					17.5	19			18					19.5	18.5				21	n/a								
17.5	16		17.5				16		19.5					18	19.5			18.5					20.5	19				21	n/a								
16.5	15	Std	6"				17.5		16		3/4			6"	18			16.5	Std				7"	20	19			3/4	7"	21		n/a	1 1/2	7"			
17	15.5			18			16.5	18.5	17			19			17.5		20.5	n/a			20			18.5													
17	16			18.5			17	19.5	18			20			18.5		20.5	19			21			n/a													
17.5	16.5	3/4		6"			18	16.5	1 1/2		6"	18.5			17		Std	7"	20.5		19			1 1/2	7"			21		n/a		1 1/2	7"				
18	16.5				18.5		17	19.5		18		20			18.5	20.5			19		21	n/a															
18.5	17				19		17.5	19.5		18		20			18.5	20.5			19		21	n/a															
18	16.5	Std			7"		18	16.5	Std	7"		19.5			18.5	3/4	7"		6" x 2" caster not available with 5" fork																		
18.5	17					18.5	17	20				19	19.5		18																						
18.5	17.5					19	17.5	20				18.5	20.5		19																						
19	18	3/4				7"	18.5	17.5	3/4			7"	20		18.5	1 1/2											7"	6" x 2" caster not available with 5" fork									
19.5	18.5		19				18	20.5					19	19.5	18.5																						
20	19		19.5				18.5	21					n/a	20.5	19																						
							19.5	18	1 1/2				7"	6" x 2" caster not available with 5" fork																							
				20			18.5																														
				20.5			19																														

¹ Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Front Frame. Seat heights with "Super Low" heading available with Super Low Front Frame. Actual seat height may vary depending upon configuration.