SUBMIT FORM This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.

Ki Mobility

ROGUE ALX

Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com

Company: _____ Ship To: _____

Account Number: _____ Date: _____ Address: _____

❑ Quote ❑ PO Number: _____ City: _____ State: _____

RTS: _____ Zip: _____ Phone: _____

Marked For: _____ Email/Fax: _____

Select if chair quote has: ❑ Additional Ki Products with Different Quote/Order Number **Quote/Order Number**: _____

Effective 07/18/2022

Rogue ALX K0005, E1235 _____ **$2070**
250 lb weight capacity

HCPCS codes provided are based on code verification by the PDAC or our interpretation of the code definitions. Proper use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

Frame

Seat Width

See reference A on page 6

- ❑ 14" _____ N/C
- ❑ 15" _____ N/C
- ❑ 16" _____ N/C
- ❑ 17" _____ N/C
- ❑ 18" _____ N/C
- ❑ 19" _____ $125
- ❑ 20" E2201 _____ $500
- ❑ 21" E2201 _____ $500
- ❑ 22" E2201 _____ $500

Seat Depth

See reference B on page 6

- ❑ 14" _____ N/C
- ❑ 15" _____ N/C
- ❑ 16" _____ N/C
- ❑ 17" _____ N/C
- ❑ 18" _____ N/C
- ❑ 19" _____ $75
- ❑ 20" E2203 _____ $550

Weight Capacity

- ❑ 250 lb _____ Std
- ❑ 350 lb (Heavy Duty) _____ $750
  Requires 6" casters

Transit

- ❑ Transit System _____ $320
  125 lb maximum weight capacity
- ❑ Omit Transit _____ N/C

Sling Position

In Performance Position (0"), sling is at front of frame. The 1" or 2" sling position extends the frame in front of the sling by that amount. See reference C on page 6.

- ❑ 0" (Performance) _____ N/C
- ❑ 1" _____ N/C
- ❑ 2" (Classic) _____ N/C

Adjustable Depth

Adds the capability to grow seat in depth

- ❑ No Rear Adjustment _____ N/C
- ❑ 1/2" _____ N/C
- ❑ 1" _____ $85
- ❑ 2" _____ $165
- ❑ 3" _____ $165

Long Sling

Available only with 1", 2" and 3" Adjustable Depth

- ❑ Long Sling _____ N/C
  Sling will be maximum 2" longer than seat depth

Seat Option

- ❑ Standard Seat Sling _____ Std
- ❑ Solid Seat Pan E2231 _____ $265
  Seat Pan is 1" longer when Long Sling option is selected

Front Frame Bend

Angle between front seat tube and ground. See reference D on page 6.

- ❑ 90º _____ $125
- ❑ 85º _____ N/C
- ❑ 80º _____ N/C
- ❑ 75º _____ N/C
- ❑ 70º _____ $125

Backrest

Back Post / Height Range / Back Height

Back Post	Price	Height Range	Back Height				
Height Adjustable	N/C	❑ Short	❑ 11[2]	❑ 12	❑ 13	❑ 14	
		❑ Medium	❑ 13	❑ 14	❑ 15	❑ 16	❑ 17
		❑ Tall	❑ 17	❑ 18	❑ 19	❑ 20	
Fixed Height [1]	$85	❑ Fixed	❑ 9[2]	❑ 10[2]	❑ 11[2]	❑ 12[3]	❑ 13
			❑ 14	❑ 15	❑ 16	❑ 17	❑ 18

[1] *Not available with back upholstery*
[2] *Not available with Fold Down Push Handle*
[3] *Fold Down Push Handle requires Height Adjustable Rigidizer Bar*

Push Handle

- ❑ Omit Push Handle _____ N/C
- ❑ Standard Push Handle _____ $85
- ❑ Low Profile Push Handle _____ $150
  2" shorter than standard push handles
- ❑ Bolt-On Push Handle _____ $125
  Handles will be 1" - 2" above back height
- ❑ Fold Down Push Handle _____ $100
  Not available with 350 lb Weight Capacity

Backrest continued

Rigidizer Bar

- ❑ Adjustable Height Rigidizer Bar _____ $75
- ❑ Non-Adjustable Height Rigidizer Bar _____ N/C

Locking Backrest

- ❑ Locking Fold Down Back _____ $95
  Rogue style locking back. Not available with 350 lb Weight Capacity

Seat Back Angle

Standard is 90º (perpendicular to floor). Minus (-º) closes back angle. Plus (+º) opens back angle.

- ❑ Standard ❑ +3º ❑ +6º ❑ +9º
- ❑ -3º ❑ -6º ❑ -9º ❑ -12º

Back Upholstery

Available only with Height Adjustable Back Posts. If selecting both upholstery and Axiom Back, the upholstery will be installed.

Padded Velcro Adjustable
Not available with 350 lb Weight Capacity
- ❑ Standard Cover _____ Std
- ❑ Air Mesh Breathable Cover _____ $75

Tension Adjustable E2611
- ❑ Standard Cover _____ $320
- ❑ Air Mesh Breathable Cover _____ $390

- ❑ Omit Back Upholstery _____ - $10

Military Patch

US Military Service Patch _____ $90
❑ Army ❑ Navy ❑ Marines ❑ Air Force ❑ Coast Guard

- ❑ US Purple Heart Patch _____ $90

Purple Heart with Military Service Patch Combo _____ $145
❑ Army ❑ Navy ❑ Marines ❑ Air Force ❑ Coast Guard

Front Seat Height and Casters

Caster Size / Footrest Taper / Front Seat Height

Select Front Seat Height and Footrest Taper in row corresponding to Caster Size. 6" casters not available with 85º and 90º Front Frame Bend.

***Footrest Taper** indicates bend of front frame creating footrest width. Taper is measured from outside of seat frame to outside of front tube. 2" Taper not available with 75º Front Frame Bend. Taper is not available with 70º Front Frame Bend. See reference E on page 6.*

***Front Seat Height** is measured from floor to top of seat tube at front of seat sling. Adjustable up or down by 1/2". See reference F on page 6.*

Footrest Taper	Caster Size	Front Seat Height														
❑ Straight	3"	❑ 13.5	❑ 14	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5
	4"	❑ 14	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5	
	5"	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5		
	6"	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5			
❑ 1" Taper	3"	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5						
	4"	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5							
	5"	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5								
	6"	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5									
❑ 2" Taper	3"	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5						
	4"	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5							
	5"	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5								
	6"	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20	❑ 20.5									

Caster

Caster Type		Caster Size				
		Price	3"	4"	5"	6"
	.75" Rollerblade	N/C	❑	❑		
	.75" Lighted Rollerblade	$70	❑	❑		
	1" Poly	N/C		❑	❑	❑
	1" Poly Aluminum	$110		❑	❑	
	1" Pneumatic	$80				❑
	1.5" Poly	$55		❑	❑	❑
	1.5" Soft Roll Aluminum	$185	❑	❑	❑	❑

Fork Options

- ❑ Standard Fork _____ Std
- ❑ Slotted Fork _____ $75
- ❑ Single Sided Fork _____ $170
  Not available with 6" Caster Size
- ❑ Frog Legs Suspension Fork E1015 _____ $450
  Not available with 350 lb Weight Capacity
  - ❑ User Weight 80 - 120 lbs
  - ❑ User Weight 120 - 160 lbs
  - ❑ User Weight 160 - 220 lbs
  - ❑ User Weight 220 - 250 lbs
- ❑ Frog Legs II Suspension System _____ $450
  Lightweight shock absorbing fork. Not available with 350 lb Weight Capacity.
- ❑ Caster Pin Locks K0073 _____ $185
  Available only with Slotted Fork

Footrest

Footplate

- ❑ Tubular "Open" Footplate _____ Std
  Not available w/footrest widths greater than 17.5". See Reference G on page 6.
- ❑ Tubular Footplate with ABS Cover _____ $30
  Not available w/footrest widths greater than 15.5". See Reference G on page 6.
- ❑ Aluminum Angle Adjustable K0040 _____ $95
- ❑ Aluminum Angle Adjustable with Riser K0040, K0037 _____ $145
  Not available with 350 lb Weight Capacity
- ❑ High Mount Aluminum Angle Adjustable K0040, K0037 _____ $95
  Not available with 350 lb Weight Capacity
- ❑ Angle Adjustable Flip Under K0040, K0037 _____ $185
  Not available with footrest widths less than 9.5". Not available with 350 lb Weight Capacity
- ❑ High Mount Angle Adjustable Flip Under K0040, K0037 _____ $270
  Not available with footrest widths greater than 15.5" or 350 lb Weight Capacity. See Reference G on page 6.

Footrest Protector

- ❑ Footrest Protector _____ $25
  Not available with Angle Adjustable Flip Under, High Mount Angle Adjustable Flip Under or High Mount Aluminum Angle Adjustable Footplates

Seat to Footrest Length

Measured from front edge of seat sling to top, rear of footrest. Footrest length at least 2.5" shorter than Front Seat Height recommended. See reference H on page 6.

❑ 8"	❑ 8.5"	❑ 9"	❑ 9.5"	❑ 10"	❑ 10.5"
❑ 11"	❑ 11.5"	❑ 12"	❑ 12.5"	❑ 13"	❑ 13.5"
❑ 14"	❑ 14.5"	❑ 15"	❑ 15.5"	❑ 16"	❑ 16.5"
❑ 17"	❑ 17.5"	❑ 18"	❑ 18.5"	❑ 19"	❑ 19.5"

Rear Seat Height and Wheels

Wheel Size / Rear Seat Height

Select Rear Seat Height in row corresponding to desired Wheel Size. For proper setup, selection is required when omitting rear wheels. Measured from floor to top of seat tube at front of back post. Rear Seat Height is custom to needs. See reference I on page 6.

Wheel Size	Rear Seat Height													
22"	❑ 13.5[1]	❑ 14	❑ 14.5	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20
24"	❑ 14.5[1]	❑ 15	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20		
25"	❑ 15[1]	❑ 15.5	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20			
26"	❑ 15.5[1]	❑ 16	❑ 16.5	❑ 17	❑ 17.5	❑ 18	❑ 18.5	❑ 19	❑ 19.5	❑ 20				

[1] *Available only with Low Profile tires*

Camber Bar Tower

- ❑ Standard Tower _____ N/C
- ❑ Mx Tower _____ $100

***Standard Tower** allows rear seat height adjustment up or down in 1/4" increments. 1" adjusment available; 1/2" in lowest end of range.*
***Mx Tower** required with select low seat heights or when large rear seat height adjustment range is required. Provides 3" adjustment range in 1/4" increments.*

Rear Wheel

			Rear Wheel Size			
		Price	22"	24"	25"	26"
Rear Wheel Type	MAXX Performance Spoke	$125	❑		❑	❑
	MAXX Performance Spoke	N/C		❑		
	Mag	N/C	❑	❑		
	Spinergy Spox	$845	❑	❑	❑	❑
	Spinergy LX	$1050	❑	❑	❑	❑

Spinergy Options

Select spoke color and handrim tab for Spinergy wheels

Spoke Color:

❑ Black ❑ Red ❑ White ❑ Blue ❑ Yellow
❑ Pink [1] ❑ Green [1] ❑ Purple [1] ❑ Orange [1]

[1] *Available only with Spingergy LX*

Handrim Tab:

Available only with Aluminum Anodized and Plastic Coated Handrims

- ❑ Short Tab _____ $25
- ❑ Long Tab _____ N/C

Rear Tire Type

Full Profile

- ❑ Street Pneumatic 1 3/8" E2211, E2212 _____ Std
  Not available on 25" wheel size
- ❑ Full Poly 1 3/8" E2218 _____ $55
  Not available on 25" or 26" wheel sizes
- ❑ Pneumatic with Airless Insert 1 3/8" E2211, E2213 _____ $85
  Not available on 25" wheel size
- ❑ Schwalbe HS-127 1 3/8" E2211, E2212 _____ $125
  Available only on 24" wheel size. Not available on Mag wheel.
- ❑ Euro Trek Knobby 1 3/8" E2211, E2212 _____ $95
  Available only on 24" wheel size
- ❑ Mountain 2" Black E2211, E2212 _____ $125
  Available only on 22", 24" and 25" MAXX Performance and Spinergy wheels

Low Profile

- ❑ Low Poly 1" E2218 _____ N/C
  Not available on 25" or 26" wheel sizes or 350 lb Weight Capacity
- ❑ Sentinel Solid Tire 1" E2218 _____ $95
  Not available on 22" Mag wheel
- ❑ High Pressure 1" E2211, E2212 _____ $80
  Not available on Mag wheel
- ❑ Schwalbe Marathon Plus Evolution 1" E2211, E2212 _____ $140
  Not available on Mag wheel or 22" wheel size

Rear Seat Height and Wheels continued

Handrim

Standard Handrims

- ❑ Aluminum Anodized — Std
- ❑ Plastic Coated — $112
- ❑ Projection (8 Vertical Projections) — $325
  Available only with full profile tires in combination with MAXX Performance or 24" Mag wheel. Not Available with 25" wheels.
- ❑ Omit Handrim — N/C

Natural Fit Handrims

Not available on 20" wheel size or 22" Mag wheel. Not recommended with Mag wheel.

- ❑ Natural Fit LT Regular Grip — $465
- ❑ Natural Fit Standard Regular Grip — $445
- ❑ Natural Fit LT Super Grip — $515
- ❑ Natural Fit Standard Super Grip — $495
- ❑ Natural Fit LT Omit Grip — $395
- ❑ Natural Fit Standard Omit Grip — $375

Handrim Option

- ❑ 3M Micro Grip — $65
  Not available on Plastic Coated or Projection Handrims

Axle

- ❑ Quick Release — Std
- ❑ Quad Quick Release — $185
  Not available with Mag or Spinergy wheels

Center of Gravity Preset

Measured from front of back post to center of rear axle. 0" indicates axle will be directly under back post. See reference J on page 6.

Amputee Positions

❑ -1.5"	❑ -1.25"	❑ -1"	❑ -.75"
❑ -.5"	❑ -.25"	❑ 0"	❑ .25"

Standard Positions

❑ .5"	❑ .75"	❑ 1"	❑ 1.25"
❑ 1.5"	❑ 1.75"	❑ 2"	❑ 2.25"
❑ 2.5"	❑ 2.75"	❑ 3"	❑ 3.25"
❑ 3.5"	❑ 3.75"	❑ 4"	❑ 4.25"

Rear Wheel Spacing

Measured from outside of back to inside of rear tire. Adjustable out 1/2" from setting. 1.5" minimum Rear Wheel Spacing with Height Adjustable T-Arm Armrest. 1" minimum Rear Wheel Spacing with 0° Rear Wheel Camber. See reference K on page 6.

❑ .75" ❑ 1" ❑ 1.25" ❑ 1.5" ❑ 1.75"

Rear Wheel Camber

❑ 0° ❑ 2° ❑ 4° ❑ 6° ❑ 8°

Wheel Locks

Wheel Lock

- ❑ Push to Lock — Std
- ❑ Push to Lock Flush Mount — N/C
- ❑ Pull to Lock — N/C
- ❑ Under Seat Scissor Lock — N/C
- ❑ Low Profile Scissor Lock — $65
  Not available with Low Poly, Full Poly or Sentinel Solid tires
- ❑ Short Thro Scissor Lock — $110
- ❑ Omit Wheel Locks — N/C

Wheel Lock Options

- ❑ Extension Handles E0961 — $77
  Available only with Push to Lock or Pull to Lock Wheel Locks
- ❑ Grade Aids E0974 — $150
  Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires

Armrests

Armrest

Height Adjustable T-Arm Tall (11.5" - 15") E0973 ***New!***
1.5" minimum Rear Wheel Spacing
- ❑ Desk — $325
- ❑ Full — $325

Height Adjustable T-Arm (8.5" - 13.5") E0973
1.5" minimum Rear Wheel Spacing
- ❑ Desk — $325
- ❑ Full — $325

Height Adjustable T-Arm Low (6.5" - 10.5") E0973
1.5" minimum Rear Wheel Spacing. If requested configuration is unavailable, Standard Height T-Arms will be used.
- ❑ Desk — $325
- ❑ Full — $325

- ❑ Swing Away (8.5" - 12.5") E0973 — $225
- ❑ Swing Away with Side Guard (8.5" - 12.5") E0973 — $285
  Inclues direct mount receiver
- ❑ Omit Armrests — N/C

Side Guards

Not available with T-Arms or Swing Away with Side Guard Armrests

Direct Mount

❑ Composite Side Guards - Direct Mount Receiver K0108 ___ $150

Aluminum Straight K0108
- ❑ Black Matte ___ $195
- ❑ Match Frame Color ___ $245

Aluminum Adjustable Fender with Foam Pad K0108
Not available with Adjustable Depth greater than 1/2"
- ❑ Black Matte ___ $275
- ❑ Match Frame Color ___ $325

❑ Carbon Fiber Adjustable Fender K0108 ___ $485
Not available with Adjustable Depth greater than 1/2"

Clamp-On Mount

❑ Composite Side Guards - Clamp-on Receiver K0108 ___ $175

Aluminum Straight K0108
- ❑ Black Matte ___ $225
- ❑ Match Frame Color ___ $275

Aluminum Adjustable Fender with Foam Pad K0108
- ❑ Black Matte ___ $305
- ❑ Match Frame Color ___ $355

❑ Carbon Fiber Adjustable Fender K0108 ___ $515

Fabric Side Guard

Not available when omitting Back Upholstery

❑ Fabric Side Guards K0108 ___ $95

Accessories

Anti-Tip

❑ Rear Anti-Tips E0971 ___ $150
❑ Omit Rear Anti-Tips ___ N/C

Calf Strap

❑ Velcro Adjustable K0038 ___ $42
❑ Padded Velcro Adjustable K0038 ___ $68
❑ Bodypoint Padded AeroMesh K0038 ___ $118

Pelvic Positioning Belt

❑ 1 1/2" Auto Buckle E0978 ___ $80
❑ 1 1/2" Padded Auto Buckle E0978 ___ $170
❑ 2" Airline Buckle E0978 ___ $110

Bodypoint Evoflex - Pelvic Stabilizer E0978 ___ $188
Size: ❑ Small (16-24") ❑ Medium (19-29") ❑ Large (25-37")

Belt Mounting Kit

❑ Ki Mobility Belt Mounting Clamp ___ $35
❑ Bodypoint Belt Mounting Bracket Kit ___ $108

Other Accessories

❑ Tool Kit ___ $45
❑ Removable Underseat Pouch ___ $50
❑ Ki Mobility Backpack ___ $65
❑ Luggage Carrier ___ $85
❑ Black Neoprene Impact Guards ___ $90
❑ Under Chair Carrier and Removable Bag ___ $85
Not available with scissor locks
❑ Clear Spoke Guards K0065 ___ $115
Not available with Mag wheel
❑ Black Spoke Guards K0065 ___ $115
Not available with 20" wheel size or Mag wheel
❑ Cane and Crutch Holder ___ $195

Frame Color

Gloss Finish

❑ Black ___ N/C
❑ Blue Skies ___ N/C
❑ Bubblegum Pink ___ N/C
❑ Candy Blue ___ N/C
❑ Candy Purple ___ N/C
❑ Candy Red ___ N/C
❑ Copper ___ N/C
❑ Granny Smith ___ N/C
❑ Metallic Orange ___ N/C
❑ Silver ___ N/C
❑ Yellow ___ N/C

Matte Finish

❑ Charcoal Gray ___ N/C
❑ Emerald Green ___ N/C
❑ Iridescent Burgundy ___ N/C
❑ Iridescent Navy ___ N/C
❑ Military Green ___ N/C
❑ Retro Red ___ N/C
❑ Royal Blue ___ N/C
❑ Shadow Black ___ N/C
❑ Smooth White ___ N/C

References

A. Seat Width *See Diagram 1*

Measured from outside of frame tube on one side to outside of frame tube on other side.

B. Seat Depth *See Diagram 3*

Measured from front of back posts to front edge of seat sling. Seat sling starts at beginning of bend at front of frame.

C. Sling Position *See Diagram 2*

In Performance Position (0"), sling is at front of frame to keep chair shorter and more maneuverable. The 1" or 2" seat sling position extends the frame in front of the sling by that amount. Adding more frame can improve stability and provide support to aid in transfers.

D. Front Frame Bend *See Diagram 3*

Angle between front seat tube and ground.

E. Footrest Taper *See Diagram 1*

Indicates bend of front frame creating footrest. Taper is measured from outside of seat frame to outside of front tube.

F. Front Seat Height *See Diagram 1*

Measured from floor to top of seat tube at front of seat sling.

G. Footrest Width *See Diagram 1*

Measured from inside of front tube to inside of front tube on other side. Footrest width is listed below for each seat width and taper.

Seat Width	Straight	1" Taper	2" Taper
Outside Measurement	2" Narrower than Seat Width	4" Narrower than Seat Width	6" Narrower than Seat Width
14"	11.5"	9.5"	
15"	12.5"	10.5"	
16"	13.5"	11.5"	9.5"
17"	14.5"	12.5"	10.5"
18"	15.5"	13.5"	11.5"
19"	16.5"	14.5"	12.5"
20"	17.5"	15.5"	13.5"
21"	18.5"	16.5"	14.5"
22"	19.5"	17.5"	15.5"

H. Seat to Footrest Length *See Diagram 3*

Measured from front edge of seat sling to top rear of footrest. Footrest length of at least 2.5" shorter than front seat height recommended.

I. Rear Seat Height *See Diagram 3*

Measured from floor to top of seat tube at front of back post. Rear seat height is custom to needs.

J. Center of Gravity Preset *See Diagram 3*

Measured from front of back post to center of rear axle. 0" indicates axle will be directly under back post.

K. Rear Wheel Spacing *See Diagram 1*

Measured from outside of seat back to inside of rear tire. Adjustable out .5" from setting.

Diagram 1



Diagram 2



Diagram 3



Axiom Back Accessories continued

Posture Support

Selection of a modification from the Axiom Back Modifications section required in order to mount posture supports. Not available with Low Backs.

	Description	Item Code	HCPC	Retail
❑	Dynaform Chest Support: 2-Piece with Hook & Loop, 3" High Pad, Small	ATRP2P14941	E0960	$121
❑	Dynaform Chest Support: 2-Piece with Hook & Loop, 4" High Pad, Medium	ATRP2P14942	E0960	$121
❑	Dynaform Chest Support: 2-Piece with Hook & Loop, 5" High Pad, Large	ATRP2P14943	E0960	$121
❑	Dynaform Chest Support: 1-Piece with Buckle, 3" Height x 18" Width, Small	ATRD2P14924	E0960	$100
❑	Dynaform Chest Support: 1-Piece with Buckle, 4" Height x 20" Width, Medium	ATRD2P14927	E0960	$100
❑	Dynaform Chest Support: 1-Piece with Buckle, 4" Height x 22" Width, Large	ATRD2P14928	E0960	$100
❑	AirLogic Anterior Trunk Support: Standard, Structure, Small	ATRP4P14282	E0960	$164.17
❑	AirLogic Anterior Trunk Support: Standard, Structure, Medium	ATRP4P14283	E0960	$164.17
❑	AirLogic Anterior Trunk Support: Standard, Structure, Large	ATRP4P14284	E0960	$164.17
❑	AirLogic Anterior Trunk Support: Standard, Structure, X-Large	ATRP4P14285	E0960	$164.17
❑	AirLogic Anterior Trunk Support: Slim Cut, Dynamic, Small	ATRD4P14257	E0960	$164.17
❑	AirLogic Anterior Trunk Support: Slim Cut, Dynamic, Medium	ATRD4P14258	E0960	$164.17
❑	AirLogic Anterior Trunk Support: Slim Cut, Dynamic, Large	ATRD4P14259	E0960	$164.17
❑	AirLogic Anterior Trunk Support: Slim Cut, Dynamic, X-Large	ATRD4P14260	E0960	$164.17

Axiom Back Modifications

Extended lead times will apply for all modifications. Makes back non-refundable.

Axiom Back Modifications

Choose modification to add holes to the back shell in order to mount posture supports. Not available with Low Backs.

	Description	Item Code	HCPC	Retail
❑	Modification for 4 Point Harness	AXM4PT	K0108	N/C
❑	Modification for 2 Point Chest Strap	AXM2PT	K0108	N/C
❑	Modification for Shoulder Guides	AXMSG	K0108	N/C

Painted Back Shell Modification

If no selection is made, standard Shadow Black will be used with no additional lead time

	Gloss Finish	Item Code	Retail
❑	Black	AXMBLK	N/C
❑	Blue Skies	AXMSKY	N/C
❑	Bubblegum Pink	AXMPNK	N/C
❑	Candy Blue	AXMCBL	N/C
❑	Candy Purple	AXMPUR	N/C
❑	Candy Red	AXMRED	N/C
❑	Copper	AXMCOP	N/C
❑	Granny Smith	AXMGSM	N/C
❑	Metallic Orange	AXMMOR	N/C
❑	Silver	AXMSIL	N/C
❑	Teal	AXMTEA	N/C
❑	Yellow	AXMYLW	N/C

	Matte Finish	Item Code	Retail
❑	Charcoal Gray	AXMCGM	N/C
❑	Emerald Green	AXMEGM	N/C
❑	Iridescent Burgundy	AXMIBM	N/C
❑	Iridescent Navy	AXMINM	N/C
❑	Military Green	AXMAGM	N/C
❑	Retro Red	AXMRRM	N/C
❑	Royal Blue	AXMRBM	N/C
❑	Smooth White	AXMSWM	N/C